

New video test for Parkinson's uses AI to track how the disease is progressing

July 23 2024, by Karen Dooley



A patient performs the the finger-tapping test with Michael Jaffee, M.D., chair and professor of neurology at the University of Florida. Credit: UF Health

A video-processing technique developed at the University of Florida that uses artificial intelligence will help neurologists better track the



progression of Parkinson's disease in patients, ultimately enhancing their care and quality of life.

The system, developed by Diego Guarin, Ph.D., an assistant professor of applied physiology and kinesiology in the UF College of Health and Human Performance, applies machine learning to analyze video recordings of patients performing the finger-tapping test, a standard test for Parkinson's disease that involves quickly tapping the thumb and <u>index finger</u> 10 times.

The work is <u>published</u> in the journal *IEEE Transactions on Neural Systems and Rehabilitation Engineering*.

"By studying these videos, we could detect even the smallest alterations in <u>hand movements</u> that are characteristic of Parkinson's disease but might be difficult for clinicians to visually identify," said Guarin, who is affiliated with the Norman Fixel Institute for Neurological Diseases at UF Health.

"The beauty of this technology is that a patient can record themselves performing the test, and the software analyzes it and informs the clinician how the patient is moving so the clinician can make decisions."

Parkinson's disease is a brain disorder that affects movement and can result in slowness of movement, tremors, stiffness, and difficulty with balance and coordination. Symptoms usually begin gradually and worsen over time. There is not a specific lab or imaging test that can diagnose Parkinson's disease, but a series of exercises and maneuvers performed by the patient helps clinicians identify and evaluate the severity of the disorder.

The rating scale most used to follow the course of Parkinson's disease is the Movement Disorder Society-Unified Parkinson's Disease Rating



Scale. Guarin explained that, despite its reliability, the rating is restricted to a 5-point scale, which limits its ability to track subtle changes in progression and is prone to subjective interpretations.

The research team, which included UF neurologists Joshua Wong, M.D.; Nicolaus McFarland, M.D., Ph.D.; and Adolfo Ramirez-Zamora, M.D., created a more objective way to quantify motor symptoms in Parkinson's patients by using machine learning algorithms to analyze videos and capture nuanced changes in the disease over time.

"We found that we can observe the same features that the clinicians are trying to see by using a camera and a computer," Guarin said. "With help from AI, the same examination is made easier and less time-consuming for everyone involved."

Guarin said the <u>automated system</u> has also revealed previously unnoticed details about movement using precise data collected by the camera, like how quickly the patient opens or closes the finger during movement and how much the movement properties change during every tap.

"We've seen that, with Parkinson's disease, the opening movement is delayed, compared to the same movement in individuals that are healthy," Guarin said. "This is new information that is almost impossible to measure without the video and computer, telling us the technology can help to better characterize how Parkinson's disease affects movement and provide new markers to help evaluate the effectiveness of therapies."

To perfect the system, which Guarin originally designed to analyze <u>facial</u> <u>features</u> for conditions other than Parkinson's disease, the team tapped into UF's HiPerGator—one of the world's largest AI supercomputers—to train some of its models.



"HiPerGator enabled us to develop a machine learning model that simplifies the video data into a <u>movement</u> score," Guarin explained. "We used HiPerGator to train, test, and refine different models with large amounts of video data, and now those models can run on a smartphone."

Michael S. Okun, M.D., the director of the Norman Fixel Institute and medical advisor for the Parkinson's Foundation, said the automated video-based assessments could be a "game changer" for clinical trials and care.

"The finger-tapping test is one of the most critical elements used for diagnosis and for measuring disease progression in Parkinson's disease," Okun said. "Today, it takes an expert to interpret the results, but what is transformative is how Diego and three Parkinson's neurologists at the Fixel Institute were able to use AI to objectify disease progression."

In addition to placing this technology in the hands of neurologists and other care providers, Guarin is working with UFIT to develop it into an app for mobile devices, allowing individuals to assess their disease over time at home.

More information: Diego L. Guarín et al, Characterizing Disease Progression in Parkinson's Disease from Videos of the Finger Tapping Test, *IEEE Transactions on Neural Systems and Rehabilitation Engineering* (2024). DOI: 10.1109/TNSRE.2024.3416446

Provided by University of Florida

Citation: New video test for Parkinson's uses AI to track how the disease is progressing (2024, July 23) retrieved 23 July 2024 from <u>https://medicalxpress.com/news/2024-07-video-parkinson-ai-track-disease.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.