

Approach developed for guideline-concordant phototherapy in newborns

August 26 2024, by Elana Gotkine



In a technical report [published](#) online Aug. 26 in *Pediatrics*, a standardized approach is presented for the use of guideline-concordant phototherapy for the management of hyperbilirubinemia in newborn

infants.

Vinod K. Bhutani, M.D., from the Stanford University School of Medicine in California, and colleagues reviewed relevant literature regarding phototherapy devices in the United States to summarize the principles and application of phototherapy consistent with the current 2022 American Academy of Pediatrics clinical guidelines for management of hyperbilirubinemia in [newborn infants](#) at ≥ 35 weeks of gestation.

The researchers found wide variation in the efficacy of phototherapy devices due to nonstandardized use of light sources and configurations and irradiance meters. The most effective and safest devices incorporate narrow-band blue-to-green light-emitting diode lamps, which would best overlap the bilirubin absorption spectrum (wavelength range, about 460 to 490 nm; optimal, 478 nm); emit irradiance of at least $30 \mu\text{W}/\text{cm}^2/\text{nm}$ in term infants; and illuminate a maximal exposed body surface area of an infant (35 to 80%). The appropriate irradiance meter calibrated for the [wavelength range](#) delivered by the phototherapy device should be used to perform accurate irradiance measurements.

"When implemented in a timely manner and performed with standardized procedures, [phototherapy](#) is a predominantly safe and noninvasive modality that will minimize risk of neonatal brain injury," the authors write.

More information: Vinod K. Bhutani et al, Phototherapy to Prevent Severe Neonatal Hyperbilirubinemia in the Newborn Infant 35 or More Weeks of Gestation: Technical Report, *Pediatrics* (2024). [DOI: 10.1542/peds.2024-068026](#)

© 2024 [HealthDay](#). All rights reserved.

Citation: Approach developed for guideline-concordant phototherapy in newborns (2024, August 26) retrieved 31 August 2024 from <https://medicalxpress.com/news/2024-08-approach-guideline-concordant-phototherapy-newborns.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.