

Greater alcohol intake tied to higher gout risk

August 29 2024, by Stephanie Brown



Higher consumption of alcoholic beverages is associated with a higher risk for gout among both sexes, according to a study [published](#) online Aug. 28 in *JAMA Network Open*.

Jie-Qiong Lyu, from Suzhou Medical College of Soochow University in China, and colleagues evaluated the consumption of total and specific alcoholic beverages in association with incident [gout](#) in men and women. The analysis included data from 401,128 participants in the U.K. Biobank (aged 37 to 73 years and free of gout at baseline in 2006 to 2010), who were followed through 2021.

The researchers found that current drinkers had a higher risk for gout than never drinkers among men (hazard ratio [HR], 1.69; 95% confidence interval, 1.30 to 2.18) but not among women (HR, 0.83; 95% confidence interval, 0.67 to 1.03). Among current drinkers, higher total alcohol consumption was associated with greater risk for gout, particularly among men (men: HR, 2.05; women: HR, 1.34). In both men and women, consumption of champagne or [white wine](#), beer or cider, and spirits was associated with a higher risk for gout, with the strongest effect seen for [beer](#) or cider per 1 pint per day (men: HR, 1.60; women: HR, 1.62).

"The observed sex-specific difference in the association of total alcohol consumption with incident gout may be owing to differences between men and women in the types of alcohol consumed rather than biological differences," the authors write.

More information: Jie-Qiong Lyu et al, Consumption of Total and Specific Alcoholic Beverages and Long-Term Risk of Gout Among Men and Women, *JAMA Network Open* (2024). [DOI: 10.1001/jamanetworkopen.2024.30700](#)

© 2024 [HealthDay](#). All rights reserved.

Citation: Greater alcohol intake tied to higher gout risk (2024, August 29) retrieved 29 August 2024 from <https://medicalxpress.com/news/2024-08-greater-alcohol-intake-higher-gout.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.