

Intervention for cleaning shared health care equipment could significantly reduce health care–associated infections

August 16 2024



Credit: Unsplash/CC0 Public Domain

Cleaning shared medical equipment at least once a day—even with a disinfectant wipe—can significantly reduce infections in hospitals and

possibly save lives, new research shows.

The finding is based on results from the CLEEN study, a randomized control trial led by Professor Brett Mitchell from Avondale University in a hospital on the Central Coast of New South Wales, with colleagues including fellow chief-investigator and Monash University Professor Philip Russo.

[Published](#) in *The Lancet Infectious Diseases*, the study introduced an intervention that consisted of additional cleaning, education on techniques and an audit of and feedback on cleanliness.

Dedicated cleaners, rather than health care workers usually responsible for cleaning, completed three extra hours of cleaning each day on shared equipment such as commodes, drip stands and walking aids.

To measure cleanliness, the researchers placed fluorescent marker gel dots on the surface of the equipment. When the dots dried, they became visible only under special light and resisted dry abrasion, which meant they could be removed only by a thorough clean.

"We identified relatively low levels of cleaning thoroughness during the control phase," the researchers wrote, which suggested "routine cleaning is either not performed or is ineffectively performed."

Before the intervention, the hospital removed about 25% of the dots. After the intervention, it was 65%—a 35% reduction in all health care-associated infections.

The finding is important because 165,000 infections—the most comprehensive estimate in decades according to previous research by Professor Mitchell and other colleagues—occur in Australian hospitals each year. With infections not only costing money but taking lives, the

burden is significant.

Professor Mitchell said the findings supported more—not less—cleaning in hospitals. He said before the CLEEN study, there were about 100 more infections before the intervention. "A proportion of these would have had major complications resulting from their [infection](#), including death," he said.

Professor Russo, director of research at Monash Nursing and Midwifery, said the study demonstrated the critical role of dedicated cleaners. "Infection prevention relies on multiple interventions, not just one. We now have strong evidence that cleaning can save lives," he said.

Despite the associated increase in morbidity, mortality and antimicrobial resistance—not to mention length of stay—strategies to prevent health care-acquired infections are informed by low-quality evidence.

Professor Mitchell is aware of only six high-quality randomized control trials around cleaning and health care-acquired infections, "and we've published two."

He said there were so few because control of factors that could contaminate results was difficult and the number of participants needed to build confidence was large.

Trial coordinator Dr. Kate Browne, from Avondale University, said it was a worthy investment. "Robust, evidence-based trials are the foundation of modern medicine," Dr. Browne said. "The data generated helps inform clinical policies and guidelines that ultimately improve the quality of patient care."

More information: Katrina Browne et al, Investigating the effect of enhanced cleaning and disinfection of shared medical equipment on

health-care-associated infections in Australia (CLEEN): a stepped-wedge, cluster randomised, controlled trial, *The Lancet Infectious Diseases* (2024). [DOI: 10.1016/S1473-3099\(24\)00399-2](https://doi.org/10.1016/S1473-3099(24)00399-2)

Provided by Monash University

Citation: Intervention for cleaning shared health care equipment could significantly reduce health care-associated infections (2024, August 16) retrieved 16 August 2024 from <https://medicalxpress.com/news/2024-08-intervention-health-equipment-significantly-careassociated.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--