

Semaglutide-linked suicidal ideation identified in disproportionality analysis

August 21 2024, by Elana Gotkine



Semaglutide-associated suicidal ideation has been identified in a disproportionality analysis, according to a study <u>published</u> online Aug. 20 in *JAMA Network Open*.



Georgios Schoretsanitis, M.D., Ph.D., from Northwell Health in Glen Oaks, New York, and colleagues examined potential signals for suicidal and self-injurious adverse <u>drug reactions</u> (ADRs) associated with the glucagon-like peptide 1 receptor agonists <u>semaglutide</u> and liraglutide in a disproportionality analysis. Participants were patients experiencing an ADR, which was suspected as attributable to semaglutide or liraglutide.

Overall, 107 and 162 cases of suicidal and/or self-injurious ADRs were reported between November 2000 and August 2023 for semaglutide and liraglutide, respectively. The researchers detected significant disproportionality for semaglutide-associated <u>suicidal ideation</u> (reporting odds ratio, 1.45), which remained significant for those coreporting antidepressant and benzodiazepine use (reporting odds ratios, 4.45 and 4.07, respectively) and compared with dapagliflozin, metformin, and orlistat (reporting odds ratios, 5.56, 3.86, and 4.24, respectively).

"We reported a disproportionality signal of suicidal ideation with semaglutide, but not for liraglutide, particularly among patients with coreported antidepressant use, a proxy for affective disorders (a notable exclusion criteria of premarketing <u>clinical trials</u>)," the authors write.

One author disclosed ties to the biopharmaceutical industry.

More information: Francesco Salvo et al, GLP-1 Receptor Agonists and Suicidality—Caution Is Needed, *JAMA Network Open* (2024). DOI: 10.1001/jamanetworkopen.2024.23335

© 2024 <u>HealthDay</u>. All rights reserved.

Citation: Semaglutide-linked suicidal ideation identified in disproportionality analysis (2024, August 21) retrieved 3 September 2024 from <u>https://medicalxpress.com/news/2024-08-semaglutide-linked-suicidal-ideation-</u>



disproportionality.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.