

Study finds blood fats predict success of dietary weight loss in pre-diabetes management

September 3 2024



Credit: Unsplash/CC0 Public Domain

New research from the Centenary Institute has identified specific blood fats that can predict how effectively individuals with pre-diabetes will

improve their blood sugar levels through diet and weight loss. These findings could pave the way for more personalized approaches to preventing and managing type 2 diabetes.

Pre-diabetes is a condition where blood sugar levels are higher than normal but not yet in the diabetic range. Weight loss through dieting is a common recommendation to help bring blood sugar levels back to normal. However, more than half of people with pre-diabetes do not achieve normal blood sugar levels after losing weight.

This new study, based on samples from 104 participants, aimed to identify biomarkers in the blood that could predict who would benefit most from dietary weight loss. The participants, all with pre-diabetes, lost at least 8% of their body weight through a low-energy diet. Using big data technology and machine learning based bioinformatics, researchers then analyzed changes in hundreds of different lipids—molecules in the blood that include fats and [fatty acids](#)—before and after the diet.

[Published](#) in *The American Journal of Clinical Nutrition*, the study found that weight loss led to significant changes in several types of lipids.

Importantly, certain lipids measured before the weight loss could predict how much participants' blood sugar levels would improve afterward. For example, certain sphingolipids, a type of fat found in cell membranes, were linked to changes in fasting blood sugar levels, while other lipids were associated with improvements in indicators such as hemoglobin A1c, insulin and insulin resistance.

"Our findings reveal that certain fats in the blood can tell us a lot about a person's chances of improving their [blood sugar levels](#) through [weight loss](#)," said lead study author, Dr. Yanfei (Jacob) Qi from the Centenary Institute's Center for Cardiovascular Research.

"This could be a game-changer in how we approach [diabetes prevention](#), allowing us to personalize treatment plans for those who are less likely to benefit from standard diet recommendations," he said.

The researchers believe that discovering these [lipid](#) biomarkers offers hope for more effective diabetes prevention strategies and better outcomes for those at risk, moving beyond the one-size-fits-all advice currently offered.

Next, Dr. Qi and his team will assess the power of lipid predictors in a more challenging real-world scenario—a three-year lifestyle intervention through both [diet](#) and [physical activity](#) for weight control in individuals with pre-diabetes.

More information: Yingxin Celia Jiang et al, Deep serum lipidomics identifies evaluative and predictive biomarkers for individualized glycemic responses following low-energy diet-induced weight loss: a PREVIEW sub-study, *The American Journal of Clinical Nutrition* (2024). DOI: [10.1016/j.ajcnut.2024.08.015](https://doi.org/10.1016/j.ajcnut.2024.08.015)

Provided by Centenary Institute

Citation: Study finds blood fats predict success of dietary weight loss in pre-diabetes management (2024, September 3) retrieved 8 September 2024 from <https://medicalxpress.com/news/2024-09-blood-fats-success-dietary-weight.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
