


Combining the power of AI and the connectome to predict brain cell activity

September 11 2024



Light enters the compound eye of the fly, causing hexagonally arranged photoreceptors to send electrical signals through a complex neural network, enabling the fly to detect motion. Credit: Siwanowicz, I. & Loesche, F. / HHMI Janelia Research Campus, Lappalainen, J.K. / University of Tübingen

With maps of the connections between neurons and artificial intelligence methods, researchers can now do what they never thought possible: predict the activity of individual neurons without making a single measurement in a living brain.

For decades, neuroscientists have spent countless hours in the lab painstakingly measuring the activity of neurons in living animals to tease out how the brain enables behavior. These experiments have yielded groundbreaking insights into how the brain works, but they have only scratched the surface, leaving much of the brain unexplored.

Now, researchers are using artificial intelligence and the connectome—a map of neurons and their connections created from [brain tissue](#)—to predict the role of neurons in the living brain. Their paper has been [published](#) in the journal *Nature*.

Using only information about the connectivity of a neural circuit gleaned from the fruit fly visual system connectome and a guess at what the circuit is supposed to do, researchers created an AI simulation of the fruit fly visual system that can predict the activity of every neuron in the circuit.

"We now have a computational method for turning measurements of the connectome into predictions of neural activity and brain function, without first starting with difficult-to-acquire measurements of neural activity for every neuron," says Janelia Group Leader Srinivas Aravamudan, a senior author on the new research.

The team of scientists from HHMI's Janelia Research Campus and the University of Tübingen used the connectome to build a detailed deep mechanistic network simulation of the fly visual system, where each neuron and synapse in the model corresponds to a real neuron and synapse in the brain.

Although they didn't know the dynamics of every neuron and synapse, data from the connectome allowed the team to use deep learning methods to infer these unknown parameters. They combined this information with knowledge about the circuit's goal: motion detection.

"At that point, everything fell into place, and we could finally figure out if this connectome-constrained model gives us a good model of the brain," says Janne Lappalainen, a Ph.D. student at the University of Tübingen who led the research.

The new model predicts the [neural activity](#) produced by 64 neuron types in the fruit fly [visual system](#) in response to visual input and accurately reproduces more than two dozen experimental studies performed over the past two decades.

By enabling researchers to predict the activity of individual [neurons](#) using only the connectome, the new work has the potential to transform how neuroscientists generate and test hypotheses about how the brain works. In principle, scientists can now use the model to simulate any experiment and generate detailed predictions that can be tested in the lab.

The new research provides more than 450 pages of predictions gleaned from the new model, including identification of cells not known to be involved in motion detection previously, which can now be examined in living flies.

The group's work provides a strategy for turning the wealth of connectome data being generated by Janelia and other research institutions into advanced understanding of the living brain, according to the researchers.

"There is a big gap between the static snapshot of the [connectome](#) and

the dynamics of real-life computation in the living brain, and the question was, can we bridge that gap in a model? This paper, for the specific example of the fruit fly, shows a strategy for bridging that gap," says Jakob Macke, a senior author on the paper and a professor at the University of Tübingen.

More information: Srinivas Turaga, Connectome-constrained networks predict neural activity across the fly visual system, *Nature* (2024). [DOI: 10.1038/s41586-024-07939-3](https://doi.org/10.1038/s41586-024-07939-3).
www.nature.com/articles/s41586-024-07939-3

Provided by Howard Hughes Medical Institute

Citation: Combining the power of AI and the connectome to predict brain cell activity (2024, September 11) retrieved 11 September 2024 from
<https://medicalxpress.com/news/2024-09-combining-power-ai-connectome-brain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
