

The making of mucus in common lung diseases

14 September 2009

In the lung, mucus is produced by cells known as goblet cells, which are present in small numbers in the walls of the lungs and airways.

Many inflammatory stimuli, including allergens, cigarette smoke, and chronic infections, increase the number and activity of these goblet cells. This leads to [mucus](#) hyperproduction and subsequent airway obstruction and contributes to symptoms in several common lung diseases, including asthma, chronic [obstructive pulmonary disease](#) (COPD), and [cystic fibrosis](#) (CF).

New research, by Jeffrey Whitsett and colleagues, at Cincinnati Children's Hospital Medical Center, has now determined that a molecular regulatory network controlled by the protein SPDEF governs allergen-induced goblet cell differentiation and mucus production in the lungs of mice.

As evidence that the same network is active in goblet cells lining the airways of patients with chronic lung diseases, the authors suggest that SPDEF regulates a molecular network that controls the goblet cell differentiation and mucus hyperproduction associated with common [lung](#) disease, including asthma, COPD and CF.

More information: View the PDF of this article at: www.the-jci.org/article.php?id=39731

Source: Journal of Clinical Investigation

APA citation: The making of mucus in common lung diseases (2009, September 14) retrieved 12 November 2019 from <https://medicalxpress.com/news/2009-09-mucus-common-lung-diseases.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.