

Researchers find compound effective in destroying antibiotic-resistant biofilms

April 8 2010

Researchers at North Carolina State University have found a chemical compound that, when used in conjunction with conventional antibiotics, is effective in destroying biofilms produced by antibiotic-resistant strains of bacteria such as the *Staphylococcus* strain MRSA and *Acinetobacter*. The compound also re-sensitizes those bacteria to antibiotics.

Infections from [antibiotic-resistant bacteria](#) such as MRSA are especially difficult to get rid of because the bacteria can attach to surfaces and then create biofilms, sticky layers of cells that act as a shield and prevent antibiotics from destroying the bacteria underneath. While a limited number of existing antibiotics may destroy part of the biofilm, enough bacteria survive to create a recurring infection as soon as antibiotic therapy stops, and over time the surviving bacteria build resistance to that antibiotic.

NC State chemist Dr. Christian Melander had already shown that combining a compound made from a class of molecules known as 2-aminoimidazoles with antibiotics was effective in dispersing the biofilms created by certain bacterial strains. The next step was to see if this combination could remove resistant bacteria from surfaces.

"The problem with biofilms is that even if you treat with effective antibiotics, they never succeed in completely dispersing the biofilm and killing the bacteria on the surface they've stuck to," Melander says. "This is especially exacerbated when the bacteria are antibiotic resistant."

Basically, if you are trying to treat a multi-drug resistant [bacterial infection](#), you need to worry about both the bacteria forming a biofilm and disarming their antibiotic resistance genes."

Melander and his team, in collaboration with NC State biochemist John Cavanagh, found that pre-treating the bacteria with their compound and then introducing the antibiotic penicillin one hour later increased the penicillin's effectiveness 128-fold, even when the [bacteria](#) was penicillin resistant. The antibiotics also provided a 1,000-fold enhancement to the ability of the 2-aminoimidazole to disperse biofilms.

The researchers' results were published online March 8 in the journal *Antimicrobial Agents and Chemotherapy*.

"We had two goals in mind - to overcome antibiotic resistance and to disperse biofilms," Melander says. "This compound cooperates with conventional [antibiotics](#), overcoming an infectious threat that would otherwise persist if treated with either agent individually."

More information: "Synergistic Effects Between Conventional Antibiotics and 2-Aminoimidazole-Derived Antibiofilm Agents"

Authors: Christian Melander, Steven A. Rogers, Robert W. Huigens III and John Cavanagh, NC State University; Published: Online in March 8 edition of *Antimicrobial Agents and Chemotherapy*.

Provided by North Carolina State University

Citation: Researchers find compound effective in destroying antibiotic-resistant biofilms (2010, April 8) retrieved 21 September 2024 from <https://medicalxpress.com/news/2010-04-compound-effective-antibiotic-resistant-biofilms.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.