

Sleep disorder may signal dementia, Parkinson's disease up to 50 years early

July 28 2010

A new study shows that a sleep disorder may be a sign of dementia or Parkinson's disease up to 50 years before the disorders are diagnosed. The research is published in the July 28, 2010, online issue of *Neurology*, the medical journal of the American Academy of Neurology.

Using Mayo Clinic records, researchers identified 27 people who experienced [rapid eye movement](#) (REM) sleep behavior disorder for at least 15 years before developing one of three conditions: Parkinson's disease, dementia with Lewy bodies or multiple system atrophy. Multiple system atrophy is a disorder that causes symptoms similar to Parkinson's disease. People with REM sleep behavior disorder often act out their dreams with violent movements, such as punching, which can injure themselves or bed partners.

The study found that the time between the start of the [sleep](#) disorder and the symptoms of the [neurologic disorders](#) ranged up to 50 years, with an average span of 25 years. Of the participants, 13 were diagnosed with dementia, 13 others were diagnosed with Parkinson's disease and one person was diagnosed with multiple system atrophy.

"Our findings suggest that in some patients, conditions such as Parkinson's disease or dementia with Lewy bodies have a very long span of activity within the brain and they also may have a long period of time where other symptoms aren't apparent," said study author Bradley F. Boeve, MD, with the Mayo Clinic in Rochester, Minn. and a member of the American Academy of Neurology. "More research is needed on this

possible link so that scientists may be able to develop therapies that would slow down or stop the progression of these disorders years before the symptoms of [Parkinson's disease](#) or dementia appear."

It is not known how many people who experience REM disorder may develop diseases such as Parkinson's or [dementia](#). A corresponding editorial noted there is no evidence that narcolepsy, with or without REM disorder, will later lead to neurodegenerative disorders.

Provided by American Academy of Neurology

Citation: Sleep disorder may signal dementia, Parkinson's disease up to 50 years early (2010, July 28) retrieved 27 April 2024 from <https://medicalxpress.com/news/2010-07-disorder-dementia-parkinson-disease-years.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--