

DGAC report offers food and nutrition practitioners insights on helping combat obesity epidemic

October 26 2010

In an insightful Commentary in the November issue of the *Journal of the American Dietetic Association*, Linda Van Horn, PhD, RD, Editor-in-Chief of the Journal, Chair of the Dietary Guidelines Advisory Committee, and Professor and Associate Dean, Northwestern University, Feinberg School of Medicine, highlights the key features and noteworthy findings of the 2010 US Dietary Guidelines Advisory Committee (DGAC) Report. While many of the recommendations from previous reports are reinforced, new evidence-based findings will help registered dietitians and other health care providers prioritize effective approaches towards facilitating better eating habits among Americans.

Dietary Goals for Americans (DGA) were first set in 1977 at a time when the average total fat intake was 42% of total [energy intake](#), saturated fatty acids (SFA) intake was about 14%, and [cardiovascular disease](#) mortality was at an all-time high. Population-wide improvement in these parameters has occurred. By 2010, average American intake of total fat and SFA has decreased significantly to 33.6% and 11.4%, respectively – still higher than recommended, but certainly improved.

Meanwhile, the obesity epidemic in the US continues. "The literal 'elephant in the room' is the persistent and pervasive obesity epidemic that continues to perpetuate and perplex [health care providers](#) in all specialty areas, as well as consumers," commented Professor Van Horn. This report indicates that the US population consumes inadequate

nutrient-rich foods such as whole grains, fruits, and vegetables, and overconsumes calorie-dense, nutrient-poor foods that include solid fats, added sugars, salt, and refined grains. The result is a population that is overfed and undernourished.

Key features of the 2010 US DGAC Report:

- It is the first totally evidence-based report that maximizes the quality, quantity, and critical organization of the underlying scientific data that fully substantiate and raise to new levels of significance the importance of these recommendations.
- It addresses, for the first time, an unhealthy American public, with the majority (72.3% of women, 64.1% of men) classified as overweight or obese and the rest at risk of becoming obese. This increases the level of intensity, urgency, and significance associated with the translation and implementation of these DGA.
- It includes a strong and emerging evidence base on infants, children, and pregnant women, vulnerable subgroups. All previous DGA have been directed at the population age 2 years and older.
- It was conducted in a completely transparent manner with six public meetings, including three Webinars that uniquely provided worldwide, complete real-time access to all the proceedings as they occurred.
- It includes two new chapters, one regarding the "Total Diet" to present the totality of the recommended eating patterns, and a "Translation/Implementation" chapter that provides the

environmental context that affects the overall usefulness and adaptation of the DGA.

The report highlights other noteworthy findings of particular importance for registered dietitians. Between 1970 and 2010, energy intake has increased by over 600 calories per day. Grain-based desserts (for example, cakes and cookies) are the highest ranking contributor to energy intake in the US population, while sodas and sports drinks provide the highest source of calories to adolescents, followed closely by pizza.

Given the dismal success rate of weight loss efforts in adulthood, and the even less successful efforts to maintain weight loss once it is achieved, this report stresses the importance of recognizing that primary prevention of obesity beginning in childhood is potentially the single most powerful method for halting and reversing America's obesity epidemic.

Professor Van Horn writes that "tremendous input was provided by an exceptional team of highly qualified, experienced, knowledgeable, and dedicated registered dietitians from many different backgrounds whose efforts made all the difference in achieving this herculean effort. In conclusion, this commentary serves to congratulate and distinguish the many contributions of RDs, American Dietetic Association members, and others throughout this process." She notes further that, "Encouraging these changes will require partnership with policymakers, industry, and consumers. RDs are key to facilitating these changes, along with dietetic technicians, registered dietitians, and other health care providers."

More information: The 2010 DGAC report is available online at www.dietaryguidelines.gov

The Commentary is "Development of the 2010 US Dietary Guidelines

Advisory Committee Report: Perspectives from a Registered Dietitian" by Linda Van Horn, PhD, RD. It appears in the Journal of the American Dietetic Association, Volume 110 Issue 11 (November 2010) published by Elsevier.

Provided by Elsevier

Citation: DGAC report offers food and nutrition practitioners insights on helping combat obesity epidemic (2010, October 26) retrieved 21 May 2024 from <https://medicalxpress.com/news/2010-10-dgac-food-nutrition-practitioners-insights.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.