


How connections in the brain must change to form memories could help to develop artificial cognitive computers

7 November 2012



A schematic diagram depicting the recall of a sequence of memory items when the network containing the pool of memory items is triggered by a stimulus. Credit: 2012 A*STAR Institute for Infocomm Research

Exactly how memories are stored and accessed in the brain is unclear. Neuroscientists, however, do know that a primitive structure buried in the center of the brain, called the hippocampus, is a pivotal region of memory formation. Here, changes in the strengths of connections between neurons, which are called synapses, are the basis for memory formation. Networks of neurons linking up in the hippocampus are likely to encode specific memories.

Since direct tests cannot be performed in the brain, [experimental evidence](#) for this process of [memory formation](#) is difficult to obtain but mathematical and computational models can provide insight. To this end, Eng Yeow Cheu and co-workers at the A*STAR Institute for Infocomm Research, Singapore, have developed a model that sheds light on the exact synaptic conditions required in memory formation.

Their work builds on a previously proposed model of auto-associative memory, a process whereby a memory is retrieved or completed after partial activation of its constituent neural network. The earlier model proposed that neural networks encoding short-term memories are activated at

specific points during oscillations of [brain activity](#). Changes in the strengths of synapses, and therefore the abilities of neurons in the network to activate each other, lead to an auto-associative long-term memory.

Cheu and his team then adapted a mathematical model that describes the activity of a single neuron to incorporate specific characteristics of cells in the hippocampus, including their inhibitory activity. This allowed them to model neural networks in the [hippocampus](#) that encode short-term memories. They showed that for successful formation of auto-associative memories, the strength of synapses needs to be within a certain range: if [synapses](#) become too strong, the associated neurons are activated at the wrong time and networks become muddled, destroying the memories. If they are not strong enough, however, activation of some neurons in the network is not enough to activate the rest, and memory retrieval fails.

As well as providing insight into how memories may be stored and retrieved in the brain, Cheu thinks this work also has practical applications. "This study has significant implications in the construction of artificial cognitive computers in the future," he says. "It helps with developing artificial cognitive memory, in which memory sequences can be retrieved by the presentation of a partial query." According to Cheu, one can compare it to a single image being used to retrieve a sequence of images from a video clip.

More information: Cheu, E. Y., Yu, J., Tan, C. H. & Tang, H. Synaptic conditions for auto-associative memory storage and pattern completion in Jensen et al.'s model of hippocampal area CA3. *Journal of Computational Neuroscience* advance online publication, 30 May 2012 ([doi: 10.1007/s10827-012-0394-8](#)). <http://link.springer.co>

m/article/10.1007%2Fs10827-012-0394-8

Provided by Agency for Science, Technology and
Research (A*STAR), Singapore

APA citation: How connections in the brain must change to form memories could help to develop artificial
cognitive computers (2012, November 7) retrieved 20 September 2019 from
<https://medicalxpress.com/news/2012-11-brain-memories-artificial-cognitive.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.