

Daily walk of just 3 km can reduce risk of hospitalization for respiratory problems

18 February 2014

New research in *Respirology* shows that suffers of Chronic obstructive pulmonary disease (COPD) can reduce their risk of being hospitalized with severe attacks, by maintaining an exercise regime of walking between three to six kilometers a day.

Moraza, José M. Quintana, Susana Aizpiri, Luis V. Basualdo, Alberto Capelastegui, "Influence of changes in physical activity on frequency of hospitalization in chronic obstructive pulmonary disease", *Respirology*, DOI: [10.1111/resp.12239](https://doi.org/10.1111/resp.12239)

COPD, a term which includes chronic bronchitis and emphysema, results in breathing difficulties due to long-term lung damage. Severe symptoms (eCOPD), caused by a sudden loss of lung function, can be life threatening.

Provided by Wiley

543 COPD patients were recruited from five Spanish respiratory clinics and their [exercise](#) levels were calculated based on the distance they walked during the course of a week. This information was compared to hospitalization data taken from the database of Bilbao's Hospital Galdakao-Usansolo.

The results showed that COPD patients who maintained moderate or high levels of exercise over time, which may amount to low intensity activities such as walking for at least three to six kilometers per day, could reduce the likelihood of being hospitalized by severe symptoms.

In contrast, patients who maintained a low level of exercise or reduced their exercise over time were more likely to experience a significant increase in the rate of hospitalization with exacerbated symptoms.

"COPD patients are less likely to engage in [regular physical activity](#) than healthy individuals. However, regular exercise has been associated with reduced risk of hospitalization for exacerbated COPD and mortality among patients with COPD," said Dr. Cristóbal Esteban. "Indeed, even a low level of PA such as walking a minimum of 2 hours per week has been associated with decreased risk of hospitalization for exacerbated COPD."

More information: Cristóbal Esteban, Inmaculada Arostegui, Myriam Aburto, Javier

APA citation: Daily walk of just 3 km can reduce risk of hospitalization for respiratory problems (2014, February 18) retrieved 21 November 2019 from <https://medicalxpress.com/news/2014-02-daily-km-hospitalization-respiratory-problems.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.