

# HIV treatment while incarcerated helped prisoners achieve viral suppression

31 March 2014

---

Treating inmates for the human immunodeficiency virus (HIV) while they were incarcerated in Connecticut helped a majority of them achieve viral suppression by the time they were released.

Of the 1.2 million people living with HIV in the United States, about one-sixth of them will be incarcerated annually, and HIV prevalence is three-fold greater in prisons compared with community settings.

The authors evaluated HIV treatment outcomes during incarceration by studying 882 HIV-infected prisoners with 1,185 incarceration periods in the Connecticut Department of Corrections (2005-2012). The [inmates](#) were incarcerated for at least 90 days, had laboratory results regarding their infection, and were prescribed [antiretroviral therapy](#) (ART). Most of the inmates were men with an average age of nearly 43 years. Almost half were black.

While 29.8 percent of inmates began their incarceration having already achieved [viral suppression](#) (HIV viral load

APA citation: HIV treatment while incarcerated helped prisoners achieve viral suppression (2014, March 31) retrieved 23 January 2021 from <https://medicalxpress.com/news/2014-03-hiv-treatment-incarcerated-prisoners-viral.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*