

# Higher death rates for weekend hospital stays regardless of day of admission

14 May 2014

People hospitalised with COPD or pneumonia are more likely to die during a weekend stay in hospital, according to a new study.

The research, published online today (15 May 2014) in the *European Respiratory Journal*, is the first to assess [death rates](#) among [patients](#) staying in [hospital](#) over the [weekend](#), irrespective of the day of admission.

Previous studies have identified the 'weekend effect', where patients admitted to hospital at the weekend have an increased risk of dying. While this could be down to a shortage of staff, it could also be due to the fact that more severe patients will admit themselves to hospital during a weekend, while those with milder symptoms would wait to speak to their doctor the following week.

This new study analysed the 'weekend effect' in a different way by assessing whether patients who stayed in hospital over the weekend, even if they were admitted earlier in the week, were also experiencing an increased risk of death.

Researchers from the Lady Davis Institute at the Jewish General Hospital and McGill University, in Montreal, Quebec, Canada, used [medical records](#) to examine death rates in over 300,000 people over the age of 50 who were admitted to hospital with either COPD or pneumonia between 1990 and 2007.

The results demonstrated that, irrespective of when patients are admitted to hospital, if they stay over the weekend the risk of death is increased. During the weekday, the death rate was 80 per 10,000 per day. On a Friday, the risk of death increased by 5%, suggesting an additional 4 deaths per 10,000. On a Saturday and Sunday the risk increased by 7% suggesting an additional 5.6 deaths per 10,000 for each weekend day.

The findings therefore suggest that the increase in

the risk of [death](#) is due to a reduced quality of care, or reduced access to high quality care at the weekend, an effect that appears to begin on Friday.

Lead author, Dr Samy Suissa, from the Jewish General Hospital and McGill University, said: "Our study is the first to report an increase in mortality for patients staying in hospital over the weekend. The findings of our study have huge implications for the way healthcare is delivered across the globe. It may be time to reconsider the weekend concept in the healthcare calendar to avert a significant number of likely preventable deaths."

**More information:** Friday and weekend hospital stays: effects on mortality, Samy Suissa, Sophie Dell'Aniello, Daniel Suissa, Pierre Ernst, [DOI: 10.1183/09031936.00007714](#)

Provided by European Lung Foundation

APA citation: Higher death rates for weekend hospital stays regardless of day of admission (2014, May 14) retrieved 22 November 2019 from <https://medicalxpress.com/news/2014-05-higher-death-weekend-hospital-day.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*