

Bowel cancer risk reduced by adopting multiple healthy behaviors

October 9 2014

Adoption of a combination of five key healthy behaviors is associated with a reduction in the risk of developing bowel cancer. Researchers from the German Institute of Human Nutrition Potsdam-Rehbruecke quantified the impact of combined multiple healthy lifestyle behaviors on the risk of developing bowel cancer, and found that this impact is stronger in men than in women.

Lead author, Krasimira Aleksandrova, says: "These data provide additional incentive to individuals, [medical professionals](#) and public health authorities to invest in healthy lifestyle initiatives. Each person can contribute a lot to avoid cancer, the more healthy lifestyle changes, the better."

Bowel cancer, also called [colorectal cancer](#), is the second most common cancer in men and the third most common cancer in women worldwide, with 55% cases occurring in developed regions such as North America and Western Europe. Previous studies have identified links between the cancer frequency rates and western lifestyles. However, most research has focused on isolated [lifestyle behaviors](#), such as eating red meat, while little is known about the combined impact of [lifestyle factors](#) beyond their individual effects.

The research published in the open access journal *BMC Medicine* analyzed the data of 347,237 men and women from 10 countries from the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study using a healthy lifestyle index. Over the 12-year

study period, 3,759 cases of bowel cancer were recorded.

The healthy lifestyle index was composed by the following lifestyle factors: a healthy weight; low abdominal fat; participating in regular physical activity; not smoking and limiting alcohol; and a diet high in fruits, vegetables, fish, yoghurt, nuts and seeds, and foods rich in fiber, and low amounts of red and processed meat. For each of the five behaviors, study subjects were assigned one point for having the healthy factor and zero for not having the healthy factor. These points were then summed to generate a cumulative score for each participant.

Krasimira Aleksandrova, says: "Our data confirmed that with an increasing number of healthy lifestyle behaviors the risk that a person will have of developing bowel cancer decreases."

The researchers found that the more healthy lifestyle factors the cohort adopted, the lower their risk of bowel cancer. Compared to people who had followed up to one healthy lifestyle behavior, those who practiced a combination of two, three, four and all the five healthy behaviors had a 13%, 21%, 34% and 37% lower risk of developing bowel cancer, respectively. The authors noted a difference between men and women.

Krasimira Aleksandrova, says: "Estimates based on our study populations suggest that up to 22% of the cases in men and 11% of the cases in women would have been prevented if all five of the [healthy lifestyle](#) behaviors had been followed. Our results particularly demonstrate the potential for prevention in men who are at a higher risk of [bowel cancer](#) than women."

More information: Combined Impact of Healthy Lifestyle Factors on Colorectal Cancer:A Large European Cohort Study Krasimira Aleksandrova, Tobias Pischon, Mazda Jenab, H. Bas Bueno-de-Mesquita, Veronika Fedirko, Teresa Norat, Dora Romaguera, Sven

Knüppel, Marie-Christine Boutron-Ruault, Laure Dossus, Laureen Dartois, Rudolf Kaaks, Kuanrong Li, Anne Tjønneland, Kim Overvad, J Ramón Quirós, Genevieve Buckland, María-José Sánchez, Miren Dorronsoro, María-Dolores Chirlaque, Aurelio Barricarte, Kay-Tee Khaw, Nicholas Wareham, Kathryn E Bradbury, Antonia Trichopoulou, Pagona Lagiou, Dimitrios Trichopoulos, Domenico Palli, Vittorio Crogh, Rosario Tumino, Alessio Naccarati, Salvatore Panico, Peter Siersema, Petra H Peeters, Ingrid Ljuslinder, Ingegerd Johansson, Ulrika Ericson, Bodil Ohlsson, Elisabete Weiderpass, Guri Skeie, Kristin Benjaminsen Borch, Sabina Rinaldi, Isabelle Romieu, Joice Kong, Marc Gunter, Heather Ward, Elio Riboli and Heiner Boeing *BMC Medicine* 2014, 12:168. www.biomedcentral.com/1741-7015/12/168

Provided by BioMed Central

Citation: Bowel cancer risk reduced by adopting multiple healthy behaviors (2014, October 9) retrieved 14 May 2024 from <https://medicalxpress.com/news/2014-10-bowel-cancer-multiple-healthy-behaviors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.