

Best supporting actors in your ears? Research points to potential way to restore hearing

12 November 2014

There's a cast of characters deep inside your ears—many kinds of tiny cells working together to allow you to hear. The lead actors, called hair cells, play the crucial role in carrying sound signals to the brain.

But new research shows that when it comes to restoring lost hearing ability, the spotlight may fall on some of the ear's supporting actors - and their understudies.

In a new paper published online first by the *Proceedings of the National Academy of Sciences*, researchers from the University of Michigan Medical School, St. Jude Children's Research Hospital and colleagues report the results of in-depth studies of these cells, fittingly called supporting cells.

The research shows that damage to the supporting cells in the mature mouse results in the loss of [hair cells](#) and profound deafness. But the big surprise of this study was that if supporting cells are lost in the newborn mouse, the ear rapidly regenerates new supporting cells - resulting in complete preservation of hearing. This remarkable regeneration resulted from cells from an adjacent structure moving in and transforming into full-fledged supporting cells.

It was as if a supporting actor couldn't perform, and his young understudy stepped in suddenly to carry on the performance and support the lead actor—with award-winning results.

The finding not only shows that deafness can result from loss of supporting cells—it reveals a previously unknown ability to regenerate supporting cells that's present only for a few days after birth in the mice.

If scientists can determine what's going on inside these cells, they might be able to harness it to find new approaches to regenerating auditory cells and restoring hearing in humans of all ages.

Senior author and U-M Kresge Hearing Research Institute director Gabriel Corfas, Ph.D., says the research shows that supporting cells play a more critical role in hearing than they get credit for.

In fact, he says, efforts to restore hearing by making new hair cells out of supporting cells may fail, unless researchers also work to replace the supporting cells.

"We had known that losing hair cells results in deafness, and there has been an effort to find a way to regenerate these specialized cells. One idea has been to induce supporting cells to become hair cells. Now we discover that losing supporting cells kills hair cells as well," he explains.

"And now, we've found that there's an intrinsic regenerative potential in the very early days of life that we could harness as we work to cure deafness," continues Corfas, who is a professor in the U-M Department of Otolaryngology. "This is relevant to many forms of inherited and congenital deafness, and hearing loss due to age and noise exposure. If we can identify the molecules that are responsible for this regeneration, we may be able to turn back the clock inside these ears and regenerate lost cells."

In the study, the "understudy" supporting cells found in a structure called the greater epithelial ridge transformed into full-fledged supporting cells after the researchers destroyed the mice's own supporting cells with a precisely targeted toxin that didn't affect hair cells. The new cells differentiated into the kinds that had been lost, called inner

border cells and inner phalangeal cells.

"Hair cell loss can be a consequence of supporting cell dysfunctional or loss, suggesting that in many cases deafness could be primarily a supporting cell disease," says Corfas. "Understanding the mechanisms that underlie these processes should help in the development of regenerative medicine strategies to treat [deafness](#) and vestibular disorders."

Making sure that the inner ear has enough [supporting cells](#), which themselves can transform into hair cells, will be a critical upstream step of any regenerative medicine approaches, he says.

Corfas and his colleagues continue to study the phenomenon, and hope to find drugs that can trigger the same regenerative powers that they saw in the newborn mice.

More information: *PNAS* 2014 ; published ahead of print, [DOI: 10.1073/pnas.1408064111](https://doi.org/10.1073/pnas.1408064111)

Provided by University of Michigan Health System

APA citation: Best supporting actors in your ears? Research points to potential way to restore hearing (2014, November 12) retrieved 18 September 2021 from <https://medicalxpress.com/news/2014-11-actors-ears-potential.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.