

Herbs and spices enhance heart health as well as flavor

November 18 2014

Spices and herbs are rich in antioxidants, which may help improve triglyceride concentrations and other blood lipids, according to Penn State nutritionists.

Triglyceride levels rise after eating a high-fat meal—which can lead to an increased risk of [heart disease](#). If a high-antioxidant spice blend is incorporated into the meal, [triglyceride levels](#) may be reduced by as much as 30 percent when compared to eating an identical meal without the spice blend. The spiced meal included garlic powder, rosemary, oregano, cinnamon, cloves, paprika, turmeric, ginger and black pepper.

Sheila G. West, professor of biobehavioral health and nutritional sciences, and Ann C. Skulas-Ray, research associate in nutritional sciences, reviewed a variety of research papers that focused on the effects that spices and herbs have on [cardiovascular disease](#) risk. They published their findings in a supplement to the current issue of the journal *Nutrition Today*, based on papers presented at the McCormick Science Institute Summit held in May 2014.

"The metabolic effects of spices and herbs and their efficacy and safety relative to traditional drug therapy represent an exciting area for future research given the public health significance of cardiovascular disease," the researchers wrote.

West and Skulas-Ray looked at three categories of studies—spice blends, cinnamon and garlic.

"We live in a world where people consume too many calories every day," said West. "Adding high-antioxidant spices might be a way to reduce calories without sacrificing taste."

West and Skulas-Ray reviewed several cinnamon studies that looked at the effect of the spice on both diabetics and non-diabetics. Cinnamon was shown to help diabetics by significantly reducing cholesterol and other [blood lipids](#) in the study participants. However, [cinnamon](#) did not appear to have any effect on non-diabetics.

The garlic studies reviewed were inconclusive, but this is likely because the trials had a wide range of garlic doses, from nine milligrams of garlic oil to 10 grams of raw garlic. The reviewers noted that across the studies there was an eight percent decrease in total cholesterol with garlic consumption, which was associated with a 38 percent decrease in risk of heart problems in 50-year-old adults.

In the study West, Skulas-Ray and colleagues conducted, they prepared meals on two separate days for six men between the ages of 30 and 65 who were overweight, but otherwise healthy. The meals were identical—consisting of chicken, bread and a dessert biscuit—except that the researchers added two tablespoons of a high-antioxidant culinary spice blend to the test meal.

The researchers followed the participants for three hours after each meal, drawing blood every 30 minutes. Antioxidant activity in the blood increased by 13 percent after the men ate the test meal when compared to the control meal, which may help prevent cardiovascular disease and other chronic diseases.

West and colleagues are currently working on a study to monitor study participants for eight hours after eating a meal with a high-antioxidant spice blend. They want to know what happens to the fat in such a meal.

"If (the fat) isn't being absorbed when spices are included in the meal, it might be excreted instead," said West. "We will examine whether spices affect how rapidly the meal is processed through the stomach and intestines."

Provided by Pennsylvania State University

Citation: Herbs and spices enhance heart health as well as flavor (2014, November 18) retrieved 26 April 2024 from

<https://medicalxpress.com/news/2014-11-herbs-spices-heart-health-flavor.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.