

Screening for diabetes at dental visits using oral blood

February 26 2015

It is estimated that 8.1 million of the 29.1 million Americans living with diabetes are undiagnosed and many who have diabetes have poor glycemic control. Given that each year many Americans visit a dental provider but not a primary care provider, dental visits may be an opportune site for diabetes screening and monitoring glucose control for many at-risk patients.

Now, a new study published in the *American Journal of Public Health*, confirms that using gingival crevicular [blood](#) (GCB) for hemoglobin A1c (HbA1c) testing produced values that were nearly identical to those obtained using finger stick blood (FSB), with a correlation of .991 between the two blood samples of 408 dental patients. Testing HbA1c is promoted by the American Diabetes Association (ADA) for diabetes diagnostic purposes and [glycemic control](#) monitoring.

"In light of findings from the study, the dental visit could be a useful opportunity to conduct diabetes screening among at-risk, undiagnosed patients - an important first step in identifying those who need further testing to determine their diabetes status," said the study's principal investigator, Dr. Shiela Strauss, associate professor of nursing and co-director of the Statistics and Data Management Core for NYU's Colleges of Nursing and Dentistry.

The study, "The Potential for Glycemic Control Monitoring and Screening for Diabetes at Dental Visits Using Oral Blood," builds upon an earlier pilot study in which the feasibility and acceptability to patients

and dental providers of using oral blood to screen for diabetes during a routine dental exam was demonstrated.

While all persons at-risk for diabetes who were never told they had the condition can potentially benefit from additional opportunities for diabetes screening, Dr. Strauss and her team found that participants who were at least forty-five years old might especially reap great benefit from diabetes screening at dental visits. The researchers also noted that HbA1c testing at dental visits could serve as an additional opportunity to determine the extent of glycemic control among those already diagnosed.

"Our study has considerable public health significance because we identify the value and importance of capitalizing on an opportunity at the dental visit (a) to screen at-risk, but as yet undiagnosed patients for [diabetes](#) (especially those 45 years or older) and (b) to monitor glycemic control in those already diagnosed so as to enable them to maintain their health to the greatest extent possible," said Dr. Strauss.

Provided by New York University

Citation: Screening for diabetes at dental visits using oral blood (2015, February 26) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2015-02-screening-diabetes-dental-oral-blood.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--