

Tango dancing benefits Parkinson's patients

April 13 2015



Dancing the Argentine tango could have potential benefits for people at certain stages in the development of Parkinson's disease (PD), according to findings in a new study by researchers at the Montreal Neurological Institute and Hospital -The Neuro, McGill University and the Research Institute of the McGill University Health Centre. The study looked at

changes in patients' motor abilities following a 12-week tango course, and is also the first study to assess the effect that tango has on non-motor symptoms.

The study looked at whether a social and [physical activity](#) linked to music, such as [tango](#), could have possible therapeutic value for PD [patients](#) who characteristically suffer from motor dysfunctions—tremor, rigidity, gait dysfunction—as well as from non-motor symptoms, such as depression, fatigue and cognitive degeneration. Forty men and women with idiopathic Parkinson's disease participated in the study, which involved studio classes with two professional dance teachers. Patients were from the Movement Disorders Clinics of the McGill University Health Centre.

"There's accumulating evidence that habitual physical activity is associated with a lower risk of developing PD, which suggests a potential slowing of PD progression," says Dr. Silvia Rios Romanets, lead researcher in the study with a special interest in Parkinson's disease and dance therapy. Dr. Rios Romanets is a clinical research fellow at the Movement Disorders Clinics at The Neuro and Montreal General Hospital. "In the study, we found the tango was helpful in significantly improving balance and [functional mobility](#), and seemed to encourage patients to appreciate their general course of therapy. We also found modest benefits in terms of patients' cognitive functions and in reducing fatigue. No significant changes were detected in overall motor functions."

Argentine tango may be particularly helpful for improving balance and functional mobility in patients with PD. Tango requires specific steps that involve rhythmically walking forward and backward. This may be particularly helpful for walking difficulties especially for freezing of gait and to prevent backward falls. In addition, tango requires working memory, control of attention, and multitasking to incorporate newly

learned and previously learned dance elements, to stay in rhythm with the music, and maneuver around others on the dance floor.

Many PD patients find traditional exercise programs unappealing. Over half of PD patients fail to get their recommended daily dose of physical activity. There is however, a connection between music and the dopamine systems in the brain - which are pivotal for establishing and maintaining behavior. So, combining music with exercise in dance such as the tango, can increase accessibility, enjoyability, and motivation, as well as improving mood and stimulating cognition. Also, the social interaction and social support involved in tango have positive results on mood and compliance.

More information: Tango for treatment of motor and non-motor manifestations in Parkinson's disease: A randomized control study, [DOI: 10.1016/j.ctim.2015.01.015](https://doi.org/10.1016/j.ctim.2015.01.015)

Provided by McGill University

Citation: Tango dancing benefits Parkinson's patients (2015, April 13) retrieved 22 September 2024 from <https://medicalxpress.com/news/2015-04-tango-benefits-parkinson-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.