

Parents' country of origin influences risk of stillbirth

14 April 2015

Parents' country of origin influences the risk of their identified as high risk." baby being stillborn in Canada, a new study has found.

The risk is highest when both parents migrated to Canada from the same country of origin, especially from a country with a high rate of [stillbirths](#), said Dr. Joel Ray, a physician at St. Michael's Hospital and scientist in its Li Ka Shing Knowledge Institute. This risk is compared to a pregnancy where both parents are born in Canada, and takes into account a mother's age, marital status and income level.

One explanation for the higher risk of stillbirth may be related to [genetic factors](#) that are heightened when a couple of the same ethnicity have a child, said Dr. Ray, whose findings were published online today in the *Journal of Obstetrics and Gynecology Canada*.

However, even couples from different countries had a higher risk of stillbirth than parents who were both Canadian-born, which suggests that genetic factors alone cannot explain the higher risk. Moreover, when one parent was Canadian-born and the other foreign-born, Dr. Ray and his colleagues found the risk of stillbirth to be similar to that for fetuses of Canadian-born couples.

The risk of stillbirth was highest when both parents came from Nigeria, Portugal, Jamaica, and Guyana, the study found.

According to the World Health Organization, roughly 2.6 million stillbirths occurred worldwide in 2009. In Ontario, about 1 in 200 viable pregnancies ends in stillbirth, a number that, according to Dr. Ray, is still too high.

"Parents who experience stillbirths face devastating emotional consequences," said Dr. Ray. "It's time policy-makers turn their attention to developing prevention strategies for couples

He said that identifying [environmental risk factors](#) should also be further probed.

Dr. Ray said the study also examined both maternal and paternal risk factors. Research already points to a variety of maternal risk factors for stillbirth, including obesity, smoking, diabetes, hypertension, unemployment, low education, ethnicity and immigration status. Paternal [risk factors](#), however, have been less explored. It's important to consider both, said Dr. Ray, as the genetic code from the father - not just the mother - may contribute to the growth and wellbeing of the fetus.

The study used data from all deliveries in Ontario from 2002 and 2011. More than 1.1 million births with [parents'](#) documented country of origin were analyzed. All were born at 20-42 weeks' gestation.

Provided by St. Michael's Hospital

APA citation: Parents' country of origin influences risk of stillbirth (2015, April 14) retrieved 19 November 2019 from <https://medicalxpress.com/news/2015-04-parents-country-stillbirth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.