

# One in 10 pregnant women drink alcohol in US

September 25 2015

---



Drinking alcohol during pregnancy puts infants at risk of developmental problems and brain damage, but one in 10 US women say they drink while pregnant, US health authorities said Thursday.

Pregnant women's binge drinking habits also raised concern among researchers, who said they found that [pregnant women](#) who drink reported more binge drinking episodes than non-pregnant women.

"We know that alcohol use during pregnancy can cause [birth defects](#) and [developmental disabilities](#) in babies, as well as an increased risk of other pregnancy problems, such as miscarriage, stillbirth, and prematurity," said Coleen Boyle, director of the US Centers for Disease Control and

Prevention's National Center on Birth Defects and Developmental Disabilities.

"This is an important reminder that women should not drink any alcohol while pregnant. It's just not worth the risk."

Ten percent of pregnant women between the ages of 18 and 44 reported [drinking alcohol](#) in the past month, according to the CDC's *Morbidity and Mortality Weekly Report (MMWR)*.

About a third of pregnant women who drink—or 3.1 percent of pregnant women overall—admitted to binge drinking, meaning they consumed four or more alcoholic beverages in one sitting.

The frequency of these [binge-drinking](#) episodes was higher than seen among non-pregnant women—4.6 episodes in the last month, compared to 3.1 episodes among women who were not pregnant.

Experts say the danger of drinking is it may cause fetal alcohol spectrum disorders (FASD), which have no cure and can damage a child for life.

"Community studies estimate that as many as two to five percent of first grade students in the United States might have an FASD," said the report.

The survey was based on a landline and cell phone survey of the US population, and relied on data from all 50 states and the District of Columbia for women aged 18-44 years.

"Women who are pregnant or might be pregnant should be aware that there is no known safe level of alcohol that can be consumed at any time during pregnancy," said Cheryl Tan, lead author of the study and an epidemiologist in CDC's National Center on Birth Defects and

Developmental Disabilities.

"All types of alcohol should be avoided, including red or white wine, beer, and liquor."

© 2015 AFP

Citation: One in 10 pregnant women drink alcohol in US (2015, September 25) retrieved 20 September 2024 from <https://medicalxpress.com/news/2015-09-pregnant-women-alcohol.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.