

# Opioid exposure tied to higher odds of low testosterone levels

4 January 2016



and number of comorbidities increased, after adjustment for opioid exposure. The odds of having low testosterone levels were increased for participants aged older than 70 years versus those aged 17 to 45 years (odds ratio, 1.70) and for participants with more than two versus no comorbidities (odds ratio, 1.69).

"When assessing the impact of opioids on testosterone, the effects of age and medical conditions should be considered," the authors write.

All authors disclosed employment by pharmaceutical companies, including Janssen Research & Development, which funded the study.

**More information:** [Abstract](#)  
[Full Text](#)

(HealthDay)—Exposure to opioids is associated with increased likelihood of low testosterone levels, with increased odds as age and number of comorbidities increase, according to a study published in the December issue of *Pain Medicine*.

Copyright © 2015 [HealthDay](#). All rights reserved.

Maria Soledad Cepeda, M.D., Ph.D., from Janssen Research & Development in Titusville, N.J., and colleagues used data from the 2011 to 2012 National Health and Nutrition Examination Survey to examine whether opioid use contributes to changes in testosterone levels. Testosterone levels were compared for participants who responded that they had been exposed to prescription [opioids](#) in the past 30 days (320 participants) versus those who were unexposed (4,909 participants).

The researchers found that the odds of having [low testosterone levels](#) were higher for participants on opioids versus unexposed participants (odds ratio, 1.40). The odds of having low testosterone levels increased significantly in all categories as the age

APA citation: Opioid exposure tied to higher odds of low testosterone levels (2016, January 4) retrieved 19 September 2019 from <https://medicalxpress.com/news/2016-01-opioid-exposure-tied-higher-odds.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*