

Children injured in motor vehicle crashes fare better at level I pediatric trauma centers

May 19 2016

Children and adolescents injured in motor vehicle accidents have better outcomes when treated at a stand-alone Level I pediatric trauma center (PTC) than at general adult trauma centers (ATC) or adult trauma centers with added Level I pediatric qualifications (ATC+PTC), according to a new study to be published in the *Journal of Pediatric Surgery* by researchers from Children's Minnesota.

The study reviewed data from the American College of Surgeons (ACS) National Trauma Data Bank on 28,145 [pediatric patients](#) (16,643 [children](#) younger than age 15 and 11,502 adolescents age 15-17) treated at a Level I trauma center between 2009-2012. Of those, 5,608 (19.9 percent) were treated at a PTC, 6,101 (21.7 percent) were treated at an ATC+PTC and 16,436 (58.4 percent) were treated at a general ATC. The majority of patients had injuries to the head and neck (66.2 percent) and 42.7 percent had multiple injuries. Researchers adjusted for injury severity and other important risk factors.

The analysis found similar rates of mortality for children treated at an ATC compared to a PTC, but they faced a greater risk of complications such as pneumonia. Adolescents treated at either an ATC or ATC+PTC experienced greater odds of death compared to those treated at a PTC. Both children and adolescents were more likely to be treated with invasive injury management procedures at an ATC or ATC+PTC compared to a PTC.

"Pediatric trauma centers are exclusively focused on the care of injured

children. As such, the care teams are often more comfortable recommending a conservative approach, including observation instead of aggressive treatment or diagnosis, compared to physicians at adult trauma centers who treat fewer pediatric patients. This, combined with very aggressive use of standardized pediatric care pathways in these centers, likely contributes to the better outcomes we noted in this study," said Anupam B. Kharbanda, MD, Chief of Critical Care Services at Children's Minnesota and a study author.

The study is the first to compare outcomes of children age five to 17 years old injured in a [motor vehicle accident](#) and treated at one of the three types of trauma centers. The nation's trauma system was created by ACS out of recognition that specialized equipment and trained personnel may provide more optimal care for injured patients. ACS verifies trauma centers, assigning Levels I-IV status based on the center's ability to care for the most serious trauma cases, with specific criteria for [pediatric trauma](#) centers.

In the United States, at least 17 million children under age 15, or 28 percent of the pediatric population, do not have access to a [pediatric trauma center](#) within an hour by ambulance. Researchers further suggest sharing best practices among Level I trauma centers to improve survival for children and adolescents, reduce the risk of complications and prevent unnecessary interventions.

"Although children treated at level one [trauma centers](#) receive the highest level of care, these data suggests adolescents treated at freestanding pediatric hospitals have better outcomes following a [motor vehicle](#) accident. The conservative approach to pediatric trauma protocols may offer an advantage to injured adolescents as they transition from childhood to adulthood," said Nathaniel Kreykes, MD, Trauma Medical Director at Children's Minnesota.

Provided by Children's Hospitals and Clinics of Minnesota

Citation: Children injured in motor vehicle crashes fare better at level I pediatric trauma centers (2016, May 19) retrieved 19 September 2024 from

<https://medicalxpress.com/news/2016-05-children-motor-vehicle-fare-pediatric.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.