

New study highlights high rates of suicide and self-harm among transgender youth

31 August 2016

In a new study, 30 percent of transgender youth report a history of at least one suicide attempt, and nearly 42 percent report a history of self-injury, such as cutting.

The Cincinnati Children's researchers hope that additional studies will shed more light on the relations among weight concerns, eating disorders, self-injury and suicidal behaviors.

The Cincinnati Children's Hospital Medical Center study also discovered a higher frequency of suicide attempts among transgender youth who are dissatisfied with their weight.

Cincinnati Children's started its Transgender Health Clinic to provide an accepting atmosphere and services for patients up to 24 years of age.

"Our study provides further evidence for the at-risk nature of transgender youth and emphasizes that mental health providers and physicians working with this population need to be aware of these challenges," says Claire Peterson, PhD, a psychologist at Cincinnati Children's and lead author of the study. "Dissatisfaction with one's appearance and the drive to look different from one's sex assigned at birth is central to gender dysphoria - the feeling that your [gender identity](#) is different from that at birth."

Provided by Cincinnati Children's Hospital Medical Center

More patients transitioning from female to male reported a history of suicide attempts and self-injury than those transitioning from male to female.

The study is published in *Suicide and Life-Threatening Behavior*, the journal of the American Association of Suicidology.

The researchers analyzed data from the medical records of 96 [transgender patients](#), ages 12 to 22, with [gender dysphoria](#) visiting the Transgender Health Clinic at Cincinnati Children's. The clinic has served nearly 500 patients since it opened in 2013.

Fifty-eight percent had at least one additional psychiatric diagnosis in addition to [gender dysphoria](#). Nearly 63 percent indicated a history of bullying, 23.1 percent a [history](#) of school suspension or expulsion, 19.3 percent involvement in physical fights and 17.1 percent repeating a grade in school.

APA citation: New study highlights high rates of suicide and self-harm among transgender youth (2016, August 31) retrieved 20 April 2021 from <https://medicalxpress.com/news/2016-08-highlights-high-suicide-self-harm-transgender.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.