

# Brain's biological clock stimulates thirst before sleep

28 September 2016



Credit: public domain

The brain's biological clock stimulates thirst in the hours before sleep, according to a study published in the journal *Nature* by researchers from the Research Institute of the McGill University Health Centre (RI-MUHC).

The finding – along with the discovery of the molecular process behind it – provides the first insight into how the clock regulates a physiological function. And while the research was conducted in mice, "the findings could point the way toward drugs that target receptors implicated in problems that people experience from [shift work](#) or jet lag," says the study's senior author, Charles Bourque, a professor in McGill's Department of Neurology and scientist at the Brain Repair and Integrative Neuroscience Program at the (RI-MUHC).

Scientists knew that rodents show a surge in [water intake](#) during the last two hours before sleep. The

study by Bourque's group revealed that this behavior is not motivated by any physiological reason, such as dehydration. So if they don't need to drink water, why do they?

The team of researchers, which included lead author and Ph.D. student Claire Gizowski, found that restricting the access of mice to water during the surge period resulted in significant dehydration towards the end of the sleep cycle. So the increase in water intake before sleep is a preemptive strike that guards against dehydration and serves to keep the animal healthy and properly hydrated.

Then the researchers looked for the mechanism that sets this thirst response in motion. It's well established that the brain harbors a hydration sensor with thirst neurons in that sensor organ. So they wondered if the SCN (suprachiasmatic nuclei), the brain region that regulates circadian cycles – a.k.a. the [biological clock](#) – could be communicating with the thirst neurons.

The team suspected that vasopressin, a neuropeptide produced by the SCN, might play a critical role. To confirm that, they used so-called "sniffer cells" designed to fluoresce in the presence of vasopressin. When they applied these cells to rodent brain tissue and then electrically stimulated the SCN, Bourque says, "We saw a big increase in the output of the sniffer cells, indicating that vasopressin is being released in that area as a result of stimulating the clock."

To explore if vasopressin was stimulating thirst neurons, the researchers employed optogenetics, a cutting-edge technique that uses laser light to turn neurons on or off. Using genetically engineered mice whose vasopressin neurons contain a light activated molecule, the researchers were able to show that vasopressin does, indeed, turn on thirst neurons.

"Although this study was performed in rodents, it

points toward an explanation as to why we often experience thirst and ingest liquids such as water or milk before bedtime," Bourque says. "More importantly, this advance in our understanding of how the clock executes a circadian rhythm has applications in situations such as jet lag and shift work. All our organs follow a circadian rhythm, which helps optimize how they function. Shift work forces people out of their natural rhythms, which can have repercussions on health. Knowing how the clock works gives us more potential to actually do something about it."

**More information:** C. Gizowski et al. Clock-driven vasopressin neurotransmission mediates anticipatory thirst prior to sleep, *Nature* (2016).  
[DOI: 10.1038/nature19756](https://doi.org/10.1038/nature19756)

Provided by McGill University

APA citation: Brain's biological clock stimulates thirst before sleep (2016, September 28) retrieved 12 November 2019 from <https://medicalxpress.com/news/2016-09-brain-biological-clock-thirst.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*