

Potential treatment for pregnant women who suffer from preeclampsia found in a vitamin

December 15 2016



Nicotinamide could help treat preeclampsia and prevent fetal growth restriction.
Credit: Tohoku University

Scientists in Japan and the US have found that vitamin B3 nicotinamide may help treat pregnant women who suffer from preeclampsia by preventing strokes and in some cases, even stimulating the growth of their fetus.

Up to 8% of pregnant women suffer from preeclampsia, a deadly disease characterized by [high blood pressure](#), blood vessel damage, high levels of protein in the urine and fluid retention that causes swelling in the legs and feet. In some cases, preeclampsia is also believed to restrict a fetus' growth.

Blood pressure-lowering drugs do not improve blood vessel damage. In fact, they reduce blood supply to the babies, which could lead to fetal death.

Until now, the only treatment for preeclampsia-affected pregnant women has been delivery of the baby. Now, researchers at Tohoku University, in collaboration with US scientists, have found that nicotinamide - also referred to as Vitamin B3 - relieves preeclampsia in mouse models. Moreover, they have also discovered that nicotinamide can even improve [fetal growth](#) in mothers with preeclampsia.

"We had previously shown that endothelin, a strong vessel narrowing hormone, worsens preeclampsia. But inhibiting the hormone is harmful to the babies," says Associate Professor Nobuyuki Takahashi of Tohoku University's Graduate School of Pharmaceutical Sciences, who co-led the study.

"In contrast, nicotinamide is generally safe to mothers and babies, corrects the blood vessel narrowing effect of endothelin, and reduces stress to the babies. Accordingly, we evaluated the effects of nicotinamide using two mouse models of preeclampsia caused by different mechanisms."

The researchers concluded that nicotinamide is the first safe drug that lowers blood pressure, reduces urine protein and alleviates [blood vessel damage](#) in preeclampsia-affected mice. The researchers went on to show that in many cases, nicotinamide also prevents miscarriage, prolongs

pregnancy period and improves the growth of the babies in mice with preeclampsia.

"Nicotinamide merits evaluation for preventing and treating preeclampsia in humans," says Oliver Smithies, a Weatherspoon Eminent Distinguished Professor at the University of North Carolina at Chapel Hill. Smithies is a Nobel Laureate in Physiology or Medicine, and co-leader of this study.

The research team hopes that if the treatment works in humans, nicotinamide could help treat [preeclampsia](#) and prevent [fetal growth restriction](#) associated with the disease in [pregnant women](#).

The findings from this study were published on November 7 in the *Proceedings of the National Academy of Sciences (PNAS)*. The article is titled "Nicotinamide benefits both mothers and pups in two contrasting mouse models of pre-eclampsia."

More information: Feng Li et al, Nicotinamide benefits both mothers and pups in two contrasting mouse models of preeclampsia, *Proceedings of the National Academy of Sciences* (2016). [DOI: 10.1073/pnas.1614947113](#)

Provided by Tohoku University

Citation: Potential treatment for pregnant women who suffer from preeclampsia found in a vitamin (2016, December 15) retrieved 19 April 2024 from <https://medicalxpress.com/news/2016-12-potential-treatment-pregnant-women-preeclampsia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.