


Adult subcortex processes numbers with the same skill as infants

March 20 2017



Despite major brain differences, many species from spiders to humans can recognize and differentiate relative quantities. Adult primates, however, are the only ones with a sophisticated cortical brain system, meaning that the others rely on a subcortex or its evolutionary equivalent. Carnegie Mellon University scientists wanted to find out whether the adult human subcortex contributes to number processing at all. Published in the *Proceedings of the National Academies of Sciences*, their study found that the adult subcortex processes numbers at the same level as infants and perhaps other lower-order species, such as guppies and spiders. Credit: Melissa Neely for Carnegie Mellon University

Despite major brain differences, many species from spiders to humans can recognize and differentiate relative quantities. Adult primates,

however, are the only ones with a sophisticated cortical brain system, meaning that the others rely on a subcortex or its evolutionary equivalent.

Carnegie Mellon University scientists wanted to find out whether the adult human subcortex contributes to number processing at all. Published in the *Proceedings of the National Academy of Sciences*, their study found that the adult subcortex processes numbers at the same level as infants and perhaps other lower-order species, such as guppies and spiders.

"This study tells us a great deal about the human subcortex, most importantly that it does not appear to improve from its number abilities in infancy, while the cortex, which is more developed in humans than in any other species, does continuously develop," said Elliot Collins, a Ph.D. student in psychology within CMU's Dietrich College of Humanities and Social Sciences and a M.D. student in the School of Medicine at the University of Pittsburgh.

Because the subcortex's location and small size make it hard to observe in humans using imaging techniques, the researchers conducted a series of experiments using a stereoscope. The stereoscope allowed them to present two consecutive visual stimuli either sequentially to one eye at a time or sequentially to both eyes. This was crucial since signals that enter one eye remain separated in the subcortical part of the visual system.

One hundred [adults](#) made decisions about two groups of dots to the same eye or different eyes. The results showed that numerical judgments in the one eye trials were better under one key condition: when the first and second stimuli's quantity differed greatly, such as having a ratio of 4:1 or 3:1.

"The subcortex is not good at making fine grain number discriminations,

and these findings support that," Collins said. "Our results suggest, however, that adults with a fully operational cortex still have a subcortex with the ability to distinguish [number](#), yet it operates on a similar level to what is found in babies, other primates and lower level species who can make coarse computations of large ratios such as, for example, which shoal of fish is bigger and should be joined. This provides evidence of a potential evolutionary bridge between the human adult subcortex and the brain of lower order [species](#)."

CMU's Marlene Behrmann, the Cowan University Professor of Cognitive Neuroscience, and the University of Massachusetts' Joonkoo Park, who received his master's in human-computer interaction from CMU, also participated in the study.

More information: Numerosity representation is encoded in human subcortex, *PNAS*, www.pnas.org/cgi/doi/10.1073/pnas.1613982114

Provided by Carnegie Mellon University

Citation: Adult subcortex processes numbers with the same skill as infants (2017, March 20) retrieved 26 April 2024 from

<https://medicalxpress.com/news/2017-03-adult-subcortex-skill-infants.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--