


Novel thermal ablation system for transdermal drug delivery

July 27 2017



Near-infrared light produces a photothermal effect on gold nanorods in a hydrogel skin patch. This heats the skin thereby increasing the permeability of the outermost layer, the stratum corneum (SC), which allows significant transdermal delivery of fluorescently labeled ovalbumin. The goal of this research is the effective delivery of protein-based drugs through the skin. (Image reprinted from the *European Journal of Pharmaceutics and Biopharmaceutic*, 119, Haine, A. T.; Koga, Y.; Hashimoto, Y.; Higashi, T.; Motoyama, K.; Arima, H. & Niidome, T., Enhancement of transdermal protein delivery by photothermal effect of gold nanorods coated on polysaccharide-based hydrogel, 91-95, (2017), with permission from Elsevier.) Credit: Professor Takuro

Niidome

Many diseases are treated with protein-based drugs. However, due to the size of the molecules, the only effective delivery method is through injection, which can suffer from low patient compliance. Furthermore, many of these types of drugs require multiple treatments that can take hours to complete, as is the case with rheumatoid arthritis. New drug delivery methods should be discovered and implemented to relieve patients of this taxing and expensive experience.

In an attempt to produce a better [drug delivery](#) system, researchers from Kumamoto University in Japan focused on a transdermal protein [delivery](#) system. There are multiple techniques currently being studied for this type of drug delivery mechanism, from microneedles to iontophoresis (transdermal [drug](#) delivery via electric current), but the Kumamoto University researchers designed to improve a technique called transdermal thermal ablation. This technique increases the permeability of the skin by heating and removing the first skin layer, the stratum corneum (SC). The difficulty is performing this without damaging deeper skin layers.

The researchers used a combination of transparent gel patches, gold nanorods, and near-infrared (NIR) light to create a unique thermal ablation system for [transdermal drug delivery](#). They added fluorescently labeled ovalbumin (FITC-OVA) to the patches to determine the extent of protein translocation after NIR irradiation on murine skin. Both *in vivo* and *in vitro* experiments were performed using gel patches with gold nanorods, gel patches without gold nanorods (control 1), and gel patches with gold nanorods but without any form of irradiation (control 2). The two controls did not produce any thermal ablation effect on the skin, but the NIR irradiated gold nanorod patches heated the skin to around 43

degrees Celsius. This resulted in significant protein translocation for the in vitro experiment and moderate translocation for the in vivo experiment. The difference between these two results was likely due to a loosening of the skin cells after freezing for the in vitro experiment.

"Our experiments have shown that the photothermal effect on [gold nanorods](#) by irradiation of near-infrared light causes the [skin](#) to heat up and become more permeable," said Professor Takuro Niidome, leader of the research project. "It should be noted that our technique has yet to deliver any specific protein drugs, but we are confident that the research will contribute to the development of effective transdermal delivery systems."

This research can be found online in Elsevier's *European Journal of Pharmaceutics and Biopharmaceutics*.

More information: Aung Thu Haine et al, Enhancement of transdermal protein delivery by photothermal effect of gold nanorods coated on polysaccharide-based hydrogel, *European Journal of Pharmaceutics and Biopharmaceutics* (2017). [DOI: 10.1016/j.ejpb.2017.06.005](#)

Provided by Kumamoto University

Citation: Novel thermal ablation system for transdermal drug delivery (2017, July 27) retrieved 23 April 2024 from <https://medicalxpress.com/news/2017-07-thermal-ablation-transdermal-drug-delivery.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
