

Day-supply of opioid Rx factor in likelihood of long-term use

24 August 2017



opioids." He and his team suggested prescribers use "the minimum effective [opioid](#) dose and duration to reduce unintended long-term use."

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2017 [HealthDay](#). All rights reserved.

(HealthDay)—The days supplied is far more important than the dosage level or even the type of pain being treated in risk of opioid use disorder following opioid prescription, according to a study published recently in *The Journal of Pain*.

Bradley Martin, Pharm.D., Ph.D., a pharmacist at the University of Arkansas for Medical Sciences in Little Rock, and colleagues examined 2006 to 2015 [medical records](#) for 1,353,902 [patients](#) who were prescribed opioids for the first time.

The overwhelming majority of patients discontinued opioid use, the researchers found. Patients were more likely to continue using the opioids if they were initially prescribed medications for a longer time.

"Comparing someone who has a one- or two-day supply of opioids with someone who has a week's supply, the risk of use doubles," Martin said in a university news release. "This is something clinicians can easily modify when they prescribe

APA citation: Day-supply of opioid Rx factor in likelihood of long-term use (2017, August 24) retrieved 3 December 2021 from <https://medicalxpress.com/news/2017-08-day-supply-opioid-rx-factor-likelihood.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.