

Study reveals breakthrough in decoding brain function

25 September 2017, by Francis Mccabe



James M. Myman, assistant professor of Psychology.
Credit: UNLV

If there's a final frontier in understanding the human body, it's definitely not the pinky. It's the brain.

After four years of lab testing and complex neuro-decoding, a research team led by UNLV psychology professor James Hyman has struck a major breakthrough that could open the floodgates for research into the [anterior cingulate cortex](#), or ACC, and how human brains learn.

The research, published this summer in the neuroscience journal *Neuron*, offers new insight into the ACC's role in guiding the brain's response and adaptation to unexpected outcomes. The study also showed the first cellular correlates of the extensively studied human phenomena known as feedback negativity. Hyman had previously found in 2015 conclusive evidence that the ACC in rodent brains reacts in the same manner as in humans to reward probability and outcome expectancy.

The study garnered a special preview article in the

journal from Bruno Averbeck, a leading expert in the field from the National Institutes of Health.

The function of the brain's ACC is heavily studied, but many scientists believe it contributes to behavioral adaptation, detection of conflict and responding to and managing emotional reactions.

According to Hyman, the ACC essentially creates expectations about what's going to happen. Then, when the result of our actions leads to an outcome, our brain assesses whether that outcome was the same as what we expected. The ACC is integrally involved in this process. If the outcome is not what we expected, the ACC reacts with a larger electrical charge - known as feedback negativity - than if the outcome was expected.

The research team showed that when an expected outcome was not delivered, a neural signal in the brain's ACC was detected. This signal offers clues to the cellular origin of feedback negativity, and that the phenomenon may be generated as the neurons in the ACC shift from encoding expected to actual outcomes.

Our brains are constantly doing this, Hyman said.

"Generally, the ACC always has a negative electrical change to outcomes, it's just the size of this change varies by whether the outcome was the expected one or not and whether it was better or worse than expected," said Hyman. "Every single thing we do involves making predictions about what's going to happen next. Usually facile little things, such as opening an unlocked door," Hyman said.

For instance, if you go to open what you believe to be an unlocked door by its handle, your ACC is predicting the outcome that the door will open and you will walk in. If the door handle is locked and it does not open as predicted, an electrical reaction occurs that is readable. The ACC will then learn

from the unexpected outcome of its initial prediction.

Now imagine you were playing a slot machine with a 75 percent chance of winning (we're pretending here). If the percentage was changed without you knowing to 25 percent, your ACC would still predict a positive outcome. When you start losing, the ACC would react to the unexpected outcome. And, most importantly, you would realize something's not right, learn from the outcome, and potentially adjust your behavior.

Through the course of the study, Hyman also discovered a correlation between feedback-related negativity in in both human and rodent models.

"It took as few as two consecutive unexpected events for cells to change and start making the opposite prediction," Hyman said. The testing mirrored what has been done in humans and opens the possibility that findings from rodent models can contribute to our understanding of the ACC function in humans.

Additional research on the ACC could lead to new solutions to assist in the cognitive control problems that are associated with a host of psychiatric disorders such as depression, schizophrenia, and drug addiction.

According to Hyman, this discovery will help in further understanding our ability to detect the situations where we have the most learning.

"Understanding those mechanics could make us learn faster," he said.

"A Novel Neural Prediction Error Found in Anterior Cingulate Cortex Ensembles" appeared in the July issue of the journal *Neuron* (Vol. 95, issue 2).

More information: James Michael Hyman et al. A Novel Neural Prediction Error Found in Anterior Cingulate Cortex Ensembles, *Neuron* (2017). [DOI: 10.1016/j.neuron.2017.06.021](https://doi.org/10.1016/j.neuron.2017.06.021)

Provided by University of Nevada, Las Vegas
APA citation: Study reveals breakthrough in decoding brain function (2017, September 25) retrieved 18

February 2018 from

<https://medicalxpress.com/news/2017-09-reveals-breakthrough-decoding-brain-function.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.