

Minimal important difference ID'd in voice handicap index-10

29 September 2017



those reporting a moderate change in [voice](#) symptoms, while those reporting a large change had a mean change in score of 9. There was a correlation of 0.32 between the global change score and change in VHI-10 score.

"Given the lack of differentiation between small and no change and the modest correlation between the global change score and change in the VHI-10 score, additional studies are needed," the authors write.

More information: [Abstract/Full Text](#)
([subscription or payment may be required](#))

Copyright © 2017 [HealthDay](#). All rights reserved.

(HealthDay)—A difference of 6 on the Voice Handicap Index-10 (VHI-10) total score may represent a minimal important difference (MID) for patients with voice disorders, according to a study published online Sept. 28 in *JAMA Otolaryngology—Head & Neck Surgery*.

Stephanie Misono, M.D., M.P.H., from the University of Minnesota in Minneapolis, and colleagues used an anchor-based approach to estimate MID in the VHI-10 total [score](#) in a [cohort study](#). A volunteer sample of adult patients visiting a voice clinic, with a variety of voice disorders, completed the VHI-10 in conjunction with a global rating of change at baseline and two weeks later. An MID was identified using an anchor-based approach.

The researchers found that the mean change in VHI-10 score was 1 for patients reporting no change on the global change score; the mean change was also 1 for those reporting a small change. The mean change in VHI-10 was 6 for

APA citation: Minimal important difference ID'd in voice handicap index-10 (2017, September 29)
retrieved 11 April 2021 from
<https://medicalxpress.com/news/2017-09-minimal-important-difference-idd-voice.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.