

Pregnancy expert discusses progress for women with severe pregnancy sickness

8 December 2017, by Caroline Brogan



Many sufferers feel isolated. Credit: Imperial College London

Severe pregnancy sickness, or hyperemesis gravidarum (HG), is a debilitating condition that begins in early pregnancy. It is characterised by severe and constant nausea and vomiting, often resulting in dehydration that requires hospital treatment. For this reason, many women with HG will require several hospital admissions during their pregnancy.

Nine in ten women experience sickness in [early pregnancy](#) that generally goes away within 14 weeks. One in 100 pregnant women experience HG - extreme sickness that can last for many weeks or months, often triggering lasting physical and psychological problems such as [post-traumatic stress disorder](#).

Treatment involves anti-nausea medication and rehydration therapy via a fluid drip in hospital, and is supportive until symptoms resolve on their own. However, the British charities Pregnancy Sickness Support and the British Pregnancy Advisory Service reported that one in ten women with HG

terminate their otherwise wanted pregnancies because of the severity of their symptoms.

Dr Nicola Mitchell-Jones from Chelsea & Westminster NHS Foundation Trust, in collaboration with Professor Tom Bourne at Imperial College London's Department of Surgery & Cancer, works with HG patients and advocates for improving the services available to sufferers of the condition.

They recently published a paper in *BMJ Open* that compared inpatient hospital treatment with [outpatient care](#), where women attend daily for rehydration and can be at home between treatments. They found that outpatient care works just as well as inpatient treatment and may suit many women, depending on personal preference.

The experts are currently researching the psychological effects of the illness, including the depression and anxiety that can persist after symptoms of HG have resolved, and even after [pregnancy](#) is completed.

Dr Mitchell-Jones said: "Sadly, extreme morning sickness is often overlooked, and women suffer in silence as they feel they are not taken seriously. At present we don't have sufficient specialist services available to [women](#) suffering with HG."

More information: Nicola Mitchell-Jones et al. Ambulatory versus inpatient management of severe nausea and vomiting of pregnancy: a randomised control trial with patient preference arm, *BMJ Open* (2017). [DOI: 10.1136/bmjopen-2017-017566](https://doi.org/10.1136/bmjopen-2017-017566)

Provided by Imperial College London

APA citation: Pregnancy expert discusses progress for women with severe pregnancy sickness (2017, December 8) retrieved 20 November 2019 from <https://medicalxpress.com/news/2017-12-pregnancy-expert-discusses-women-severe.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.