

# 2013 to 2015 infant mortality rate varied by state and race

4 January 2018



non-Hispanic black women. For infants of Hispanic women, the mortality rate varied from 3.94 in Iowa to 7.28 in Michigan.

"This report provides recent state-level data that can inform efforts to lessen state and race-specific [infant mortality](#) rates," the authors write.

**More information:** [More Information](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

(HealthDay)—The infant mortality rate varied by state, from 4.28 to 9.08 per 1,000 live births in Massachusetts and Mississippi, respectively, in 2013 through 2015, according to a January data brief published by the U.S. Centers for Disease Control and Prevention's National Center for Health Statistics.

T.J. Mathews, from the CDC's National Center for Health Statistics in Hyattsville, Md., and colleagues used linked birth and infant death data from 2013 to 2015 to describe [infant mortality rates](#) in the United States by state and for race and Hispanic-origin groups.

The researchers found that in 2013 through 2015 the infant mortality rate varied by state, from 4.28 per 1,000 live births in Massachusetts to 9.08 per 1,000 [live births](#) in Mississippi. For infants of non-Hispanic white women, the mortality rate ranged from 2.52 in the District of Columbia to 7.04 in Arkansas. The mortality rate ranged from 8.27 in Massachusetts to 14.28 in Wisconsin for infants of

APA citation: 2013 to 2015 infant mortality rate varied by state and race (2018, January 4) retrieved 7 May 2021 from <https://medicalxpress.com/news/2018-01-infant-mortality-varied-state.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*