

# COPD now afflicts more women than men in US

April 17 2018, by Anna Gorman, Kaiser Health News

---

Joan Cousins was among a generation of young women who heard—and bought into the idea—that puffing on a cigarette was sophisticated, modern, even liberating. No one suspected it would make them more than equal to men in suffering a choking, life-shortening lung disease.

"Everybody smoked. It was the cool thing to do," said Cousins, who smoked her first cigarette 67 years ago at age 16.

But one day, Cousins started coughing and could not stop—or take a deep breath. She drove to a hospital, where doctors told her she had a progressive lung disease called chronic obstructive pulmonary disease (COPD). "Not breathing was so scary ... that I never had another cigarette," Cousins said.

COPD traditionally was considered a man's disease, but it now kills more [women](#) in the United States than men. Women account for 58 percent of the 14.7 million people in the U.S. living with the disease and 53 percent of those who die from it, according to the American Lung Association. Nearly 8 percent of women in the U.S. have reported a COPD diagnosis, compared with just under 6 percent of men.

"It's a huge public health problem for women that doesn't really get enough attention," said Dr. Meilan Han, associate professor of medicine at the University of Michigan. "This is one of the top killers of women in the country."

Because COPD is often associated with men, women are frequently diagnosed after the disease is already advanced. Symptoms of COPD include a chronic cough, wheezing, tightening of the chest and shortness of breath. There is no cure for COPD, but its progression can be slowed. The most important thing a patient can do after a COPD diagnosis is to stop smoking.

Researchers largely blame women's gradual adoption of smoking for the modern-day rise in COPD deaths among women. Men started smoking in [large numbers](#) in the late 1800s, coinciding with the mass production of cigarettes. In the 1920s and 1930s, tobacco companies began targeting women with ads that appealed to their sense of independence and yearning for social and sexual desirability.

Another wave of ad campaigns in the late 1960s and early 1970s induced large numbers of women, and teenage girls, to start smoking cigarettes. Brands such as Virginia Slims capitalized on the women's liberation movement with catchy slogans, including "You've come a long way, baby."

"The effects of COPD are delayed for decades and decades," said Dr. May-Lin Wilgus, assistant clinical professor and pulmonologist at UCLA Health. "We are seeing the effects of women smoking in large numbers, especially in the 1960s and '70s."

Gender differences also contribute to the increased danger of COPD for women. Research shows women may be more susceptible to the toxic effects of cigarette smoke than are men. The exact reason is not certain, but researchers believe one factor is that women's lungs are generally smaller. Estrogen can also worsen the lung damage caused by smoking.

Cousins, who stopped smoking at age 62, said she now takes an oxygen tank everywhere she goes. She half-jokingly calls it her "best friend." At

night, she sleeps hooked up to a machine that helps keep her airways open. Despite the assisted breathing, Cousins said she often feels as if someone is pushing down on her chest. The 83-year-old, who lives southeast of San Francisco, is still able to garden and create art—among her specialties is wood-burned decor—but she described the disease as "slow suffocation."

COPD is an umbrella term used to describe progressive lung diseases including chronic bronchitis, emphysema and other conditions that make it difficult for people to push air out of their lungs. Beyond smoking, factors such as pollution and genetics can contribute to developing the disease.

Women are more likely than men to have flare-ups, or exacerbations, which can be caused by infections or exposure to pollutants. Frequent exacerbations are associated with a faster progression of the disease.

Helena Bravi of Lawrence, Kan., said she has repeatedly gone to the ER since her COPD diagnosis four years ago, even though she is on medication and oxygen. When her COPD flares up, Bravi said, the pressure builds in her chest and she gets anxious. She tries to avoid triggers such as smoke and aerosols.

"It's really scary," she said. "The goal is to get through the day without an exacerbation."

COPD treatment, which can temporarily improve symptoms and lung function, may include bronchodilators to open the airways, inhalers and steroids, said Han, who is a volunteer spokeswoman for the American Lung Association. In the most severe cases, lung transplants might be needed.

Doctors and advocates say many women are unknowingly living with the

disease because they lack of awareness or are reluctant to seek help.

"If they have trouble breathing when they are going up stairs, they may say 'I'm just a little older or heavier or out of shape,'" said Stephanie Williams, director of community programs for the COPD Foundation, which recently held a webinar about the disease among women. "Women put off treatment longer and they mask their symptoms."

Inez Shakman, 73, who lives in Ventura, Calif., and sees Dr. Wilgus, said she had problems exhaling for years, and common colds tended to settle in her chest and last longer than expected. She also found it physically straining sometimes to walk in the park. It was only about four months ago that she learned she had COPD. She'd never heard of the disease. Now, with medication, she can walk around the park without stopping or gasping for air, she said.

Medical schools have long taught about COPD with a textbook that features images of two men, and researchers have detected gender bias in doctors' diagnoses of the [disease](#). In one well-known study, physicians who were presented with hypothetical patients made the correct diagnosis more often for men than for women.

Caroline Gainer, a 74-year-old retired teacher who lives in Daniels, a rural town in West Virginia, told her doctor more than once about her symptoms, which included coughing every morning and regularly feeling short of breath. "He thought I had asthma," she said. "I don't think I ever got the message across about how bad it was."

Finally, Gainer was diagnosed with COPD, and now she needs oxygen to get around. She gave up her 50-year smoking habit with the help of a nicotine patch, takes her medications and exercises regularly. "I do everything I am supposed to do," Gainer said. "I can maybe not halt the progress but I can slow it down."

©2018 Kaiser Health News  
Distributed by Tribune Content Agency, LLC.

Citation: COPD now afflicts more women than men in US (2018, April 17) retrieved 16 April 2024 from <https://medicalxpress.com/news/2018-04-scary-lung-disease-afflicts-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.