

Patterns of potential misuse help assess risk of opioid overdose

May 22 2018



(HealthDay)—Patterns of potential opioid misuse are positively

associated with subsequent opioid overdose, according to a study published online May 22 in the *Annals of Internal Medicine*.

In an observational study, Colleen M. Carey, Ph.D., from Cornell University in Ithaca, N.Y., and colleagues estimated how a range of patterns of potential [opioid](#) misuse relate to adverse outcomes during the next year. The authors compared outcomes for Medicare enrollees with potential opioid misuse patterns and those without these patterns.

The researchers found that 0.6 to 8.5 percent of beneficiaries fulfilled a misuse measure. There was a positive correlation for subsequent opioid [overdose](#) with successively greater numbers of prescribers or pharmacies or higher opioid quantities during the index period. The likelihood of having an opioid overdose was increased for patients who obtained opioids from two, three, or four prescribers (adjusted absolute risk for 1,000 beneficiary-years, 3.5, 4.8, and 6.4, respectively), compared with a single provider (adjusted absolute risk, 1.9). For any deviation in the single prescriber-single pharmacy opioid use [pattern](#) there was a meaningful increase in the subsequent overdose risk. There was a positive association for all misuse measures with subsequent opioid overdose and death.

"To fully assess patients' opioid overdose risk, clinicians should examine a wide range of misuse patterns," the authors write.

One author disclosed financial ties to the pharmaceutical industry; one author has a patent for a method using physician social networks based on common patients to predict cost and intensity of care in hospitals.

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)
[Editorial \(subscription or payment may be required\)](#)

Copyright © 2018 [HealthDay](#). All rights reserved.

Citation: Patterns of potential misuse help assess risk of opioid overdose (2018, May 22)
retrieved 20 September 2024 from
<https://medicalxpress.com/news/2018-05-patterns-potential-misuse-opioid-overdose.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.