

Air pollution associated with acute respiratory distress hospitalization of elderly

23 May 2018



Air pollution associated with acute respiratory distress hospitalization of elderly. Credit: ATS

In a new study, researchers found significant associations between seniors' long-term exposure to two types of air pollution and hospitalization for acute respiratory distress syndrome (ARDS). The study was presented at the 2018 American Thoracic Society International Conference.

ARDS is a rapidly progressive disease that occurs in critically ill patients. The disease's most serious complication is that fluid leaks into the lungs making breathing difficult or impossible. ARDS

develops in patients with predisposing conditions such as sepsis, pneumonia, traumatic injury, and aspiration. The elderly population is at particularly high risk of developing ARDS and the ARDS mortality rate for elderly patients has been reported to be around 69 percent to 80 percent.

"While there is growing evidence of the impact on lung health of numerous air pollutants, there have been few studies that have looked at acute respiratory diseases and air pollution across large populations," said lead author Jongeun Rhee, ScD, of the T.H. Chan School of Public Health, Harvard University, Boston, Massachusetts.

Dr. Rhee and colleagues examined data from nearly 30 million Medicare beneficiaries (> age 65) per year discharged from American hospitals from 2000 through 2012. They tracked by zip code admissions due to an ARDS diagnosis. The researchers then computed annual average air concentrations of PM2.5, pollution-causing particles that are about 30 times smaller than the width of a human hair, and annual average ozone concentrations for these zip codes from April through September. They developed statistical models that enabled them to make associations between [air pollution levels](#) and ARDS hospitalizations, and adjusted their calculations to compensate for differences in weather, race, socioeconomic status and smoking status.

Dr. Rhee's team found statistically significant associations between yearly change in PM2.5 and ozone concentrations and yearly change in [hospital admission rates](#) for ARDS among the nation's seniors. Hospital admissions for ARDS increased with increases in PM2.5 concentrations and increases associated with ozone levels as well. In low pollution regions, associations between chronic exposure to both PM2.5 and ozone had stronger

associations compared to the entire U.S.

"We highlighted the importance of air pollution as an environmental risk factor for ARDS, which has not been studied widely but contributed to a previous finding that was limited to ozone," said Dr. Rhee. "Most importantly, we found increased hospital admission rates even when seniors were exposed to levels below current annual National Ambient Air Quality Standards (NAAQS) for PM_{2.5} (12 $\mu\text{g}/\text{m}^3$).

Dr. David Christiani, the study's senior author, stated that: "Our findings are unique in showing that the adverse health effects of air [pollution](#) on our senior citizens now include acute respiratory failure and that an increase in hospitalization for ARDS in seniors occurs at the current U.S. [air pollution](#) standards. These results add to the growing body of literature on various [adverse health effects](#) at current standards that demonstrate a need to lower our exposure limits."

More information: Abstract Number: 8742 Title: The Impact of Long-Term Exposure to PM_{2.5} and Ozone on the Risk of Acute Respiratory Distress Syndrome (ARDS) for the Elderly

Provided by American Thoracic Society

APA citation: Air pollution associated with acute respiratory distress hospitalization of elderly (2018, May 23) retrieved 21 October 2021 from <https://medicalxpress.com/news/2018-05-air-pollution-acute-respiratory-distress.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.