


Breakthrough discovery will change treatment for COPD patients

10 July 2018



Dr. Tillie-Louise Hackett is an associate professor in the University of British Columbia's faculty of medicine and principal investigator at St. Paul's Hospital Centre for Heart Lung Innovation. Credit: Providence Health Care

Permanent lung damage caused by chronic obstructive pulmonary disease (COPD) starts much earlier than previously thought, even before patients are showing symptoms.

These are the findings of a new study recently published in *The Lancet Respiratory Medicine*. The breakthrough discovery, led by Dr. Tillie-Louise Hackett, associate professor in the University of British Columbia's faculty of medicine, will dramatically change how patients are treated for COPD, the leading cause of hospital admissions in B.C. and Canada.

Hackett, who is also a principal investigator at St. Paul's Hospital Centre for Heart Lung Innovation (HLI), and her research team found that even patients diagnosed with mild COPD have already lost a significant portion of their small airways—more than 40 per cent—on average.

COPD is a chronic, progressive condition that slowly damages the tissues of the lungs. Currently, patients with mild [disease](#), as determined by a [lung](#) function test, are given minimal or no treatment.

"These patients often have little to no symptoms, so it was believed their lungs were relatively undamaged," said Hackett. "Now that we know the severity of the damage, we need to look at earlier intervention to ensure the best outcomes for COPD patients."

The new findings also suggest previous large clinical trials testing new COPD treatments may have failed because patients already had substantial lung damage.

"If the same drugs were tested on patients with more mild forms of the disease, and less tissue damage, the results could be very different," said Hackett.

Lung samples from 34 patients were analyzed using an ultra-high resolution microCT scanner, one of only three scanners of this kind in the country. The special scanner, funded by the Canada Foundation for Innovation and St. Paul's Foundation, was instrumental to Hackett's research. Though the HLI Lung Tissue Registry Biobank at St. Paul's has been collecting specimens for more than 30 years, the recent addition of the microCT scanner made it possible to image samples that are embedded in paraffin in extreme detail.

It is estimated approximately one in 10 people over the age of 40 may suffer from COPD. Martin Mannelle has been living with the disease for eight years. He is managing well with a careful combination of medication, but the 68-year-old is excited about how this research could impact future patients.

"I worry about COPD taking over as the number

one killer," said Mannette, "so anything we can do for the next generation so they can avoid COPD is so important."

Dr. Don Sin, the Canada Research Chair in COPD and a St. Paul's respirologist, said the findings have significant implications. By 2020, COPD is expected to be the third leading cause of death worldwide.

"This breakthrough finding will allow us to develop new drugs to treat patients with COPD at the earliest stages of their disease when the disease is reversible," said Sin. "This will prevent disease progression in thousands of [patients](#) and help them stay out of the hospital and remain healthy in their own homes."

More information: Hyun-Kyoung Koo et al, Small airways disease in mild and moderate chronic obstructive pulmonary disease: a cross-sectional study, *The Lancet Respiratory Medicine* (2018).
[DOI: 10.1016/S2213-2600\(18\)30196-6](https://doi.org/10.1016/S2213-2600(18)30196-6)

Provided by University of British Columbia

APA citation: Breakthrough discovery will change treatment for COPD patients (2018, July 10) retrieved 22 September 2021 from <https://medicalxpress.com/news/2018-07-breakthrough-discovery-treatment-copd-patients.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.