


# Understanding drug resistance in ovarian cancer

August 24 2018

---



Credit: University of Montreal

Work just published in *Cancer Research* by Drs. Hugo Wurtele and Elliot Drobetsky (Maisonneuve-Rosemont Hospital Research Center-CIUSSS de l'Est-de-l'Île-de-Montréal and Université de Montréal) sheds

new light on the origins of chemotherapy drug resistance in ovarian cancer. This discovery, made in collaboration with researchers at the Centre Hospitalier de l'Université de Montreal (CHUM), Université Laval and Harvard University, brings hope for developing more effective therapies to combat one of the most prevalent and dangerous cancers in women. Indeed recent statistics show that 2,800 Canadian women were diagnosed with ovarian cancer in 2017 and 1,800 died.

Chemotherapy drugs used to treat [ovarian cancer](#) can initially be very effective, often resulting in complete remission. However, most patients eventually become sick again, after which they no longer respond to further treatment because their new tumours have developed resistance to the drugs.

In order to multiply uncontrollably and generate tumours, cancer cells must first make exact copies of their DNA in a process termed "DNA replication" and then distribute these DNA copies to new cancer cells. Through their work on cells derived from ovarian cancer patients, Wurtele and Drobetsky discovered that chemotherapy is particularly effective in cancer cells that are unable to efficiently carry out this copying process. Most importantly, they have identified the molecular mechanisms responsible for this deficiency.

"This work represents an excellent example of fundamental research which allows a better understanding of a very concrete and important clinical problem, namely, the development of resistance to cancer chemotherapy," Wurtele said.

"Indeed, by identifying new mechanisms underlying drug resistance in ovarian cancer, our study may allow future development of innovative approaches to improve [chemotherapy](#)," added Drobetsky.

**More information:** François Bélanger et al. Replication Protein A

Availability During DNA Replication Stress Is a Major Determinant of Cisplatin Resistance in Ovarian Cancer Cells, *Cancer Research* (2018).  
[DOI: 10.1158/0008-5472.CAN-18-0618](https://doi.org/10.1158/0008-5472.CAN-18-0618)

Provided by University of Montreal

Citation: Understanding drug resistance in ovarian cancer (2018, August 24) retrieved 19 April 2024 from <https://medicalxpress.com/news/2018-08-drug-resistance-ovarian-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.