

Nerve pain in the legs? Medical marijuana may alter brain connections, bring relief

5 September 2018



Credit: CC0 Public Domain

When medical marijuana is taken for chronic nerve pain, it may provide pain relief by reducing connections between the areas of the brain that process emotions and sensory signals, according to a study published in the September 5, 2018, online issue of *Neurology*, the medical journal of the American Academy of Neurology. The study looked specifically at radicular pain, a type of nerve pain that radiates from the spine into the legs. Sciatica is a common form of radicular pain.

The component of marijuana examined in this study was tetrahydrocannabinol (THC), one of many cannabinoids found in marijuana and the one most commonly associated with producing a high.

"Pain is a complex experience that involves both the senses and emotions," said study author

Haggai Sharon, MD, of the Sagol Brain Institute, Tel Aviv Medical Center in Israel. "Our study results link pain relief from THC with a reduction in the connections between areas of the brain otherwise heavily connected, suggesting that THC may alleviate pain by disrupting signals between these pain processing pathways."

The study involved 15 men with chronic radicular [nerve pain](#) with an average age of 33. Women were excluded since hormone fluctuations during menstruation may affect [pain sensitivity](#). All [participants](#) had medium to high [radicular pain](#) for over six months.

Before [treatment](#), participants rated their pain levels and had brain scans with functional magnetic resonance imaging (fMRI) to look at the connections between various areas of the brain. Participants were then given treatment with THC.

For the first visit, nine participants were given an average of 15 milligrams of THC oil placed under the tongue and six were given placebo oil. One hour after treatment, participants were questioned again, and had another brain scan approximately two hours after treatment.

At least one week later, participants returned for a second visit and those who had the placebo now received the treatment, and vice versa.

Researchers found that THC reduces a person's pain when compared to placebo. On a scale of zero to 100, before taking medication, on average participants rated their pain levels at 53. After taking THC oil, they rated their pain levels at an average of 35 compared to an average of 43 for those who were given the placebo.

In addition, the more pain relief a person experienced, the greater the reduction of connections between the areas of the brain involved in processing pain.

"Interestingly, our results also show that the more connected the areas of the [brain](#) that process emotion and sensory prior to treatment, the greater the [pain relief](#) experienced when taking THC," said Sharon. "Larger studies are needed to confirm our findings."

Limitations of the study are that women were excluded and the number of participants was small. Also, this study looked only at THC. Future studies are needed to examine how other components of the marijuana plant, like cannabidiol, may be useful in relieving [pain](#) in combination with THC.

Provided by American Academy of Neurology

APA citation: Nerve pain in the legs? Medical marijuana may alter brain connections, bring relief (2018, September 5) retrieved 12 November 2019 from <https://medicalxpress.com/news/2018-09-nerve-pain-legs-medical-marijuana.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.