

# Why people with dementia don't all behave the same

9 October 2018, by Lila Landowski



People with dementia experience a range of psychological symptoms and behaviour changes. Credit: shutterstock.com

Dementia is the is the [leading cause of death](#) among Australian women and the [third most common](#) cause of death among men.

While [dementia](#) is not a normal part of ageing, the biggest risk factor for dementia is advancing age. Given ours is an ageing population, estimates suggest dementia cases are set to almost [triple by 2050](#).

Many people associate dementia with [memory](#) loss, so it may come as a surprise that dementia is a killer. So, what does it do to the body to make this happen?

## The brain is our control centre

Everything we do is controlled by the [brain](#). It generates the instructions that tell our body parts what to do, as well as facilitating our complex behaviours, such as personality and cognition (our ability to think, understand and do things).

When a person has dementia, neurons in various parts of their brain stop communicating properly, disconnect, and gradually die. We call this process [neurodegeneration](#).

Dementia is caused by progressive neurodegenerative diseases. This means the disease starts in one part of our brain and spreads to other parts, affecting more and more functions in the body.


Certain causes of dementia will impact different parts of the brain, and the symptoms a person with dementia develops will depend on what part of their brain is affected.

## Memory loss

In the early stages of dementia, a person may experience issues with memory, attention, or personality.

One of the most common things that occurs in dementia is memory loss. It may not be the first change that happens, but it's often one of the first things people notice. Memory loss begins when neurons in a part of the brain called the [hippocampus](#) degenerate and die.

The hippocampus is a bit like a diary – it keeps track of what you do from minute-to-minute. This is why a person with dementia might have trouble keeping track of what they are doing, remembering where they are and how they got there, or forming new memories.



The frontal lobe, temporal lobe and hippocampus can all be affected by different types of dementia. Credit: The Conversation, [CC BY-ND](#)

A person with dementia might also experience regressive [memory loss](#), as the disease erodes the neurons storing long-term memories in various locations in the brain's cortex. As more recent long-term memories are lost, this could mean their most vivid recollections might be from decades ago. This is why a person with dementia might feel like they are existing in another time.

As more parts of the brain succumb to disease, people with dementia will ultimately lose control of functions in the body such as speaking and swallowing, and may eventually fall into a coma.

Dementia doesn't refer to one specific disease, but to a collection of similar symptoms. It can be caused by Alzheimer's disease, Parkinson's disease and many other diseases, or triggered by heart disease, stroke and head injuries. To make things more complex, people can have more than just one type of dementia.

### Dementia affects people differently

There are different types of dementia. Each one is characterised by different patterns of symptoms,

though every person with the same type of dementia won't necessarily exhibit the same set of symptoms, especially early on. Just as our personalities can be incredibly diverse, the way dementia may affect personality and behaviour can be very different between individuals.

For example, a person with [Alzheimer's disease](#) will have two main brain regions affected: the hippocampus and the [entorhinal cortex](#). The entorhinal cortex is a specialised part of the brain that works together with the hippocampus to form [long-term memories](#). Together, they take the input from all our senses to help orientate us in space and time, and also help us form declarative memories—things like facts and memories of events.

The changes in the brain of a person with another type of dementia, known as [Lewy body dementia](#), are less established. But they include damage to a slightly different part of the hippocampus, and a loss of neurons that produce the neurotransmitters dopamine and acetylcholine. These neurons are especially important for various aspects of movement, visual perception, and cognition. Because of this, people with Lewy body dementia might experience hallucinations and difficulties with movement.

A person with [frontotemporal dementia](#) will experience degeneration that affects the frontal and temporal lobes of the brain, though the exact location can vary between people.

The frontal lobe is the part of the brain responsible for our ability to make judgements and decisions, including interpreting what is socially acceptable. So a person with this type of dementia may act on their impulses or vocalise their opinions or thoughts without realising this may be inappropriate. You could say that the loss of behavioural filters means some people with dementia are expressing humanity and emotion in its most raw and true form.

The temporal lobe (which also contains the hippocampus), is the part of the brain that helps us process faces, sounds and scenes, as well as form memories.

Eventually, the disease will spread to other parts of the brain. For example, the neurons in the part of the brain involved in recognising faces (called the fusiform gyrus) may degenerate, resulting in the inability to recognise people. This can happen even when a person with dementia still remembers who you are. For this reason it can be helpful to reintroduce yourself when you talk to a person with dementia.

People with dementia deserve compassion. They don't have control over their behavioural changes, but we have control over how we react to these changes. Through education and understanding, we can all play a part.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the

[original article](#).

Provided by The Conversation

APA citation: Why people with dementia don't all behave the same (2018, October 9) retrieved 18 June 2019 from <https://medicalxpress.com/news/2018-10-people-dementia-dont.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*