

# Scientists discover a new lead for mechanism of action of diabetes drug metformin

October 24 2018

---



Metformin 500mg tablets. Credit: public domain

Canadian and British researchers have discovered how the frontline Type 2 diabetes drug metformin may work to help cells better take up and use glucose. Their study, published today in the prestigious journal *Cell*, may also explain other potential beneficial effects of metformin for prevention of a variety of chronic diseases, including cancers.

To show that metformin appeared to make the cells act as if they are starved for the essential mineral [iron](#), biochemists at Université de Montréal used a new method to simultaneously probe how all of a cell's biochemical processes respond to the presence of a [drug](#). Collaborating with researchers at the Francis Crick Institute in London, the UdeM team showed that metformin has a global effect on iron distribution in cells, resulting in alteration of essential biochemical processes.

The novel technology that made this discovery possible was developed in the lab of lead author Stephen Michnick, a biochemistry professor at UdeM and holder of a Canada Research Chair in cell architecture. "If you want to know what a drug or any other molecule is doing in the body, you need to survey everything going on in its cells at once," said Dr. Michnick. "Today there are several ways to do this, but our method, called hdPCA, has the merit of being extremely simple to perform and interpret, non-invasive and inexpensive; it can be done in almost any lab." The method can be deployed to rapidly predict and confirm how a drug might affect cells and simultaneously identify any liabilities the drug might have if introduced into humans.

"We'd chosen to use metformin, mostly because it was an interesting test case, having no clear mechanism of action," added the study's first author, UdeM biochemist Bram Stynen. "The lead to effects of metformin on iron homeostasis was a bonus of this study. A connection between iron metabolism and [diabetes](#) was already suspected but no-one had ever showed a specific antidiabetic effect of metformin in living [cells](#) connected to iron homeostasis." Added collaborator Markus Ralser,

a biochemist at Francis Crick, "this makes a lot of sense—glucose metabolism most likely emerged evolutionarily from iron-dependent chemical reactions—such chemical relationships don't disappear in evolution."

Further cell and animal studies will have to be done to pin down how important iron-starvation mimicking effects of [metformin](#) are to glucose metabolism and how this mechanism might be better exploited to improve diabetes treatments.

**More information:** Changes of cell biochemical states are revealed in protein homomeric complex dynamics. *Cell*. DOI: [10.1016/j.cell.2018.09.050](https://doi.org/10.1016/j.cell.2018.09.050)

Provided by University of Montreal

Citation: Scientists discover a new lead for mechanism of action of diabetes drug metformin (2018, October 24) retrieved 25 April 2024 from <https://medicalxpress.com/news/2018-10-scientists-mechanism-action-diabetes-drug.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--