


## ASN: High-dose, proactive IV iron noninferior in hemodialysis

November 1 2018



(HealthDay)—For patients undergoing maintenance hemodialysis, a high-



dose intravenous iron regimen administered proactively is noninferior to a low-dose intravenous iron regimen administered reactively, according to a study published online Oct. 26 in the *New England Journal of Medicine* to coincide with a presentation at the American Society of Nephrology's Kidney Week, held Oct. 23 to 28 in San Diego.

Iain C. Macdougall, M.D., from King's College Hospital in the United Kingdom, and colleagues randomly assigned adults undergoing maintenance hemodialysis to receive high-dose <u>iron</u> sucrose, administered intravenously in a proactive manner, or low-dose iron sucrose, administered intravenously in a reactive manner. Overall, 2,141 patients were randomly assigned: 1,093 and 1,048 to the high- and low-dose groups, respectively.

The researchers found that patients received a median monthly iron dose of 264 and 145 mg in the high- and low-dose groups, respectively. The median monthly dose of an erythropoiesis-stimulating agent was 29,757 and 38,805 IU in the high- and low-dose groups, respectively. Overall, 30.5 percent of patients in the high-dose group and 32.7 percent of patients in the low-dose group had a primary end-point event (nonfatal myocardial infarction, nonfatal stroke, hospitalization for heart failure, or death; hazard ratio, 0.88; 95 percent confidence interval, 0.76 to 1.03; P

"Given the absence of harm that was observed with the high-dose intravenous iron regimen in our trial, the safety and efficacy of even higher doses of iron might be explored in further trials," the authors write.

Several authors disclosed ties to pharmaceutical companies, including Vifor Pharma, which partially funded the study.

More information: Abstract/Full Text



## **More Information**

Copyright © 2018 HealthDay. All rights reserved.

Citation: ASN: High-dose, proactive IV iron noninferior in hemodialysis (2018, November 1)

retrieved 18 April 2024 from

https://medicalxpress.com/news/2018-11-asn-high-dose-proactive-iv-iron.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.