

# Meningitis progress lags substantially behind that of other preventable diseases

November 13 2018

---

The global disease burden of meningitis remains unacceptably high, and progress lags substantially behind that of other vaccine-preventable diseases, warns a new analysis published in *The Lancet Neurology*.

The Institute for Health Metrics and Evaluation (IHME) Global Burden of Disease study showed that [meningitis](#) deaths reduced by just 21% globally between 1990—2016, whereas other preventable diseases such as measles, tetanus, and diarrhoea due to rotavirus saw declines of 93.0%, 90.7%, and 57.9%, respectively, suggesting that progress in meningitis could have been substantially faster.

The number of actual cases of meningitis increased during that time period, from 2.5 million in 1990 to 2.82 million in 2016, due to increased population size.

The highest concentration of cases and deaths from meningitis was found in the sub-Saharan African countries that are collectively known as the "[meningitis belt](#)". This is despite huge progress in reducing meningococcal group A [disease](#) by 99% in the meningitis belt through the MenAfriVac vaccination programme.

Meningitis Research Foundation, co-authors of the analysis, state that to make faster progress, particular attention should be given to: developing vaccines with broader coverage against the bacterial causes of meningitis; making these vaccines affordable to the developing countries that are most affected; improving vaccine uptake; and improving

interventions such as access to low-cost, rapid diagnostic tests and treatments.

Ongoing surveillance of the specific types of bacteria causing meningitis is said to be crucial to continue monitoring and reacting to meningitis burdens and trends throughout the world.

Bacterial meningitis is a deadly disease that strikes without warning and can leave survivors with lifelong after effects as serious as deafness, blindness and brain damage. The paper states that better support for disabled or impaired survivors of this disease is vital.

IHME's Dr. Nicholas J. Kassebaum, Professor of Health Metrics Sciences with the University of Washington, commented, "Declines in the incidence and mortality of meningitis have lagged far behind those of other vaccine-preventable diseases, such as diarrhea and lower respiratory infections. It is likely that the growing number of meningitis survivors with lifelong disabilities are living in communities without the resources or programs to support them."

Study author Linda Glennie from Meningitis Research Foundation said, "This research shows that a huge number of people are still being affected by this dreadful disease. Vaccination is the only way to prevent meningitis and despite major progress over the last 20 years, large epidemics have occurred recently showing again that meningitis is very far from being defeated.

"Meningitis spreads around the world and we need a coordinated effort to defeat it. We need faster progress, similar to that achieved with measles, tetanus, and diarrhoea due to rotavirus. This year the World Health Organization launched an expert taskforce to develop a global roadmap to defeat meningitis by 2030, and MRF is delighted to be taking part. This taskforce is a crucial step towards defeating meningitis

for good."

Provided by Meningitis Research Foundation

Citation: Meningitis progress lags substantially behind that of other preventable diseases (2018, November 13) retrieved 25 April 2024 from <https://medicalxpress.com/news/2018-11-meningitis-lags-substantially-diseases.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.