

When it comes to using birth control, both intention and attitude matter

November 29 2018, by Mitch Mirkin



Dr. Sonya Borrero is an associate professor of medicine and director of the Center for Women's Health Research and Promotion at the University of Pittsburgh. She is also a core faculty member at the VA Center for Health Equity Research and Promotion and a staff physician in the VA Pittsburgh's women's health clinic. Credit: Bill George



A new Veterans Affairs study adds to the evidence that women's intentions around becoming pregnant don't fully explain whether and how they use contraception. Rather, their attitudes toward becoming pregnant also play a role.

For example, <u>women</u> who don't plan on getting pregnant, but who nonetheless say it would be fine if it happened, or even that they would be happy about it, may be less likely to use birth control at all, or to use effective methods, than those who aren't planning a <u>pregnancy</u> but say they would be upset if it occurred.

The finding, reported in the Nov. - Dec. 2018 edition of *Women's Health Issues*, doesn't seem surprising. Some past research has indicated as much. But the new evidence will help round out counselors' understanding of what drives women's decisions to use or not use contraception. It may also bolster efforts in VA to improve reproductive health services for women veterans.

Dr. Sonya Borrero, who led the research, says the finding offers a window into the complexity of women's behaviors around planning or preventing pregnancies.

"Pregnancy intention and attitudes toward a hypothetical pregnancy are not always aligned," says Borrero, who is with the University of Pittsburgh and VA's Center for Health Equity Research and Promotion. "Counselors need to be aware of the range of thoughts and attitudes that may be shaping a woman's behavior when it comes to using contraception."

And, Borrero points out, intentions and attitudes may be relatively fluid, changing over the course of a few months based on factors like relationship status, financial situation, or social support. She says routine or frequent assessment is needed to help women make the best



reproductive decisions.

Borrero's team conducted phone interviews with 858 women veterans who had recently been VA primary care patients. The work was part of a larger study called Examining Contraceptive Use and Unmet Need among Women Veterans.

The new analysis was limited to women veterans at risk for an unwanted pregnancy. They answered questions about whether they were currently trying to become pregnant or planning to do so in the next year or at any point in the future. "Not sure" was another option.

They also answered questions, on a seven-point scale, about how they would feel if they did become pregnant, regardless of their plan: 1 was "it would be the worst thing that could happen to me," and 7 was "it would be the best thing that could happen to me."

Intentions and attitudes were aligned, but not perfectly so. Predictably, most (77 percent) of those intending to become pregnant in the next year said they would be content if it occurred. But at the same time, positive attitudes toward a hypothetical pregnancy were also reported by more than a quarter of the women who said they didn't want to become pregnant until at least a year down the road (28 percent), and even among many women (14%) who said they had no plans at any time in the future to become pregnant. Only about a third of those who planned no future pregnancies said it would be the "worst thing" if it occurred.

Despite the mismatches that emerged between intention and <u>attitude</u> among many of the women, both factors were independently associated with contraception use. Women who said they "never" wanted to become pregnant were nearly three times more likely to report using contraception, versus those who expressed the intent to become pregnant within the next year. Similarly, women who said becoming pregnant



would be the "worst" thing that could happen were nearly three times as likely to use contraception, compared with women who said a pregnancy would be the "best" thing that could happen.

A similar trend was seen regarding methods of birth control. The "never" group was more than three times as likely to be using highly effective methods, versus the "next year" group. The "worst thing" group was more than twice as likely to be using highly effective methods, versus the "best thing" group.

According to the study, "highly effective" methods of <u>birth control</u> include intrauterine devices and subdermal implants. Moderately effective methods include the pill, ring, patch, and injection. The least effective are barrier devices such as condoms, diaphragms, and cervical caps; fertility awareness methods; spermicides; and withdrawal.

The study also observed cultural patterns that have been seen in other research. For example, Hispanic women showed more positive attitudes toward unintended pregnancies than did white or black women. Meanwhile, among black women, neither intention nor attitude was significantly linked to contraceptive use.

"Improved understanding of racial/ethnic differences in pregnancy attitudes would allow for more culturally relevant and inclusive counseling strategies to help women to decrease their risk of undesired or unacceptable pregnancies," wrote the researchers.

Dr. Amita Vyas, editor-in-chief of *Women's Health Issues*, called the study "a strong contribution to the growing body of research that is expanding our understanding of how women make decisions about contraception." She said it will "help providers offer patient-centered care and assist all clients in achieving their reproductive goals."



VA and the National Institutes of Health funded the research.

Provided by Veterans Affairs Research Communications

Citation: When it comes to using birth control, both intention and attitude matter (2018, November 29) retrieved 21 September 2024 from https://medicalxpress.com/news/2018-11-birth-intention-attitude.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.