


# Conservative management feasible for adnexal masses

February 7 2019

---



(HealthDay)—The risk for malignancy and acute complications is low

for patients with an adnexal mass with benign ultrasound morphology who are managed conservatively, according to a study published online Feb. 5 in the *The Lancet Oncology*.

Wouter Froyman, M.D., from the Leuven Cancer Institute in Belgium, and colleagues conducted a two-year interim analysis of [patients](#) from an international cohort study (International Ovarian Tumor Analysis Phase 5) who were selected for conservative management of an adnexal mass judged to be benign on ultrasound. Conservative management included ultrasound and clinical follow-up at three- and six-month intervals and then every 12 months.

Twenty-six percent of 2,587 patients with follow-up data had a mass that was already in follow-up at [recruitment](#), and 74 percent (1,919 patients) presented with a new mass at recruitment. The researchers found that patients with new masses were followed for a median of 27 months. Among those with a new mass at recruitment, the cumulative incidence of spontaneous resolution within two years of follow-up was 20.2 percent; the cumulative incidence of finding an invasive malignancy at surgery, a borderline tumor, torsion, and cyst rupture was 0.4, 0.3, 0.4, and 0.2 percent, respectively.

"Such knowledge could be of great value when counselling patients and supports conservative [management](#) of adnexal masses that are classified as benign by use of [ultrasound](#)," the authors write.

One author disclosed financial ties to the pharmaceutical and medical device industry.

**More information:** [Abstract/Full Text \(subscription or payment may be required\)](#)  
[Editorial \(subscription or payment may be required\)](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Conservative management feasible for adnexal masses (2019, February 7) retrieved 20 September 2024 from <https://medicalxpress.com/news/2019-02-feasible-adnexal-masses.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.