

Link between alcohol consumption and breast cancer ignored by women most at risk

February 13 2019



Credit: CC0 Public Domain

Middle aged women in Australia aren't getting the message about the proven link between alcohol consumption and breast cancer, at a time when more are drinking while cancer rates in their age bracket are

increasing, according to a new study.

More women aged between 45 and 64 years aren't aware of the [potential risks](#), and indicate [negative impacts](#) on their weight, relationships or lifestyle would more likely result in a reduction in drinking, rather than warnings about an increased risk of cancer.

"There is a low level of awareness about the established link between [alcohol](#) and breast cancer, and some confusion about the risk given the community perception that not all drinkers get breast cancer," says study lead Dr. Emma Miller at Flinders University.

"So it's really important to understand the patterns and drivers behind drinking behaviour in order to develop policies and interventions that might reduce the increasing burden on the women and our health system."

Breast cancer is the most commonly diagnosed cancer in Australia, accounting for over 13 per cent of all new cancers and 28% of all cancers diagnosed in women.

But Dr. Miller says the findings in her study suggest targeted messages which address short term risk caused by alcohol will have the greatest impact on reducing current consumption levels.

"Alcohol is firmly entrenched in the fabric of Australian society, providing pleasure and defining the major events in most of our lives. Raising awareness of alcohol-related cancer risk, despite the importance of this, will not be sufficient to counter patterns of consumption."

35 South Australian women, aged between 45 and 64, who have never been diagnosed with cancer were interviewed about their personal alcohol consumption, education level and perceived risk of breast

cancer as part of the study.

"It's interesting that the group were most aware about short term harms like the impact alcohol has on their weight, mental health, and relationships rather than [cancer](#)."

Dr. Miller says authorities will have to develop carefully targeted policy and interventions which address short term risks perceived as more important by these women, as they become a larger demographic for the alcohol industry.

"We all want to hear good news about drinking, such as small amounts of red wine may be good for cardiovascular disease, which is a message that's promoted by the alcohol industry. I

"In contrast, information that alcohol is linked to [breast cancer](#) is actively suppressed by the industry presumably in order to build the female customer base."

"Our research shows that while more middle aged women are drinking, there are ways of getting the right messages through by focusing on issues important to them. For example, [younger people](#) are drinking less so we can look into the reasons behind that and utilise them."

Provided by Flinders University

Citation: Link between alcohol consumption and breast cancer ignored by women most at risk (2019, February 13) retrieved 18 April 2024 from <https://medicalxpress.com/news/2019-02-link-alcohol-consumption-breast-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.