

# The impact of exercise and sleep on depression varies by gender

1 May 2019



[gender](#).

The researchers also examined seven sleep variables, and found sleep was significantly associated with depression levels in both genders. On average, students reported [quality sleep](#), but 16 percent of males and 22 percent of females reported poor sleep quality.

Credit: University of Michigan

For some people, getting enough exercise and quality sleep can alleviate depressive symptoms almost as effectively as antidepressants alone, research has shown.



But a new University of Michigan study suggests that [exercise](#) and sleep impact depression differently in men and women.

Credit: University of Michigan

Principal investigator Weiyun Chen, an associate professor of kinesiology, and first author Ana Cahuas looked at exercise and sleep patterns in more than 1,100 college students at Beijing University. Participants completed three questionnaires assessing [depressive symptoms](#), physical activity habits and sleep patterns.

Overall, students in the study did not report feelings of depression, which surprised Chen, as Beijing University is a pressure-cooker environment similar to Ivy League schools in the U.S. However, more females (43 percent) than males (37 percent) reported depression.

For men, vigorous and moderate physical activity helped protect against depression, Chen said. However, for women, no level of physical activity significantly impacted depression. Although there's a dearth of female-focused research, this contradicts general conclusions that regular physical activity helps reduce depression.

"This is consistent with existing research that higher rates of depression are found among women, with approximately a 2:1 ratio of diagnosis, although [suicide rates](#) are 3 to 5 times higher among men," Chen said.

This finding may have happened because so few women compared to men exercised at [high intensity](#), Chen said. As a result, any protective effect of high-intensity exercise was not detectable in women when researchers analyzed the data by

The connection between sleep, exercise, and mood might also help explain females' higher rate of depression, Chen said.

Males in the study exercised more and at higher intensity than females, whose higher levels of depression may have decreased likeliness to

exercise and negatively impacted sleep quality.

[10.1080/07448481.2019.1583653](https://doi.org/10.1080/07448481.2019.1583653)

Depression and [mood disorders](#) are a serious problem in adolescents, with up to 20 percent of teens diagnosed with a mental, emotional or behavioral disorder, said Cahuas, who was a student in U-M's Undergraduate Research Opportunity Program when she wrote the paper under Chen's guidance.

Provided by University of Michigan



Credit: University of Michigan

Roughly 1 in 7 college students is diagnosed with depression—with suicide the second-leading cause of death among them. College students are at particular risk for depression because of heavy workloads, stress and sleep deprivation.

Major depression involves symptoms persisting for at least two weeks, and can occur multiple times throughout life. Persistent depressive disorder, or dysthymia, is depression that lasts at least two years, and fluctuates in severity. Studies show that only about half of people with [depression](#) receive treatment.

Participants were recruited from one university in China, so results cannot be generalized to all [college students](#).

The study appeared online in the *Journal of American College Health*.

**More information:** Ana Cahuas et al. Relationship of physical activity and sleep with depression in college students, *Journal of American College Health* (2019). [DOI:](#)

APA citation: The impact of exercise and sleep on depression varies by gender (2019, May 1) retrieved 17 September 2019 from <https://medicalxpress.com/news/2019-05-impact-depression-varies-gender.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*