

Reducing the risk of post-incarceration opioid overdose in women

September 11 2019, by Tracy Brawley



Coffee Creek Corrections Facility is Oregon's only women's prison. Researchers are conducting a three-year pilot study at CCCF to evaluate a new opioid overdose prevention program called Reducing Overdose After Release from Incarceration, or ROAR. Credit: Oregon Department of Corrections

More than 75 percent of incarcerated women in Oregon's state prison system require treatment for a substance use disorder. Further, according to Elizabeth Needham Waddell, Ph.D., an assistant professor in the OHSU-PSU School of Public Health, opioid overdose is a leading cause of death following prison release.

"We know from experiences in [other states](#), that [women](#) are at a significantly higher risk of opioid overdose compared to their male counterparts," she says. "Especially in the first few weeks following their release."

While sex-related differences specific to overdose risk in incarcerated adults are not yet fully understood, there are multiple individual and social factors to consider, Waddell explains. For example, compared with incarcerated men, women have higher rates of substance use disorders and co-occurring medical and mental health conditions. Limited access to treatment, supportive social networks and affordable housing also are related to overdose risk.

"When these factors aren't considered, and effective links to treatment and recovery support services are not provided prior to release from prison, women are not set up for success in the community and are more likely to return to substance use," Waddell says. "We need to offer an appropriate continuum of treatment and recovery support that starts before their release."

Introducing ROAR

Waddell is collaborating with researchers in the OHSU-PSU School of Public Health, OHSU School of Medicine, the Oregon State University/OHSU College of Pharmacy and Comagine Health in conducting a three-year pilot study to evaluate a new [opioid overdose](#) prevention program called Reducing Overdose After Release from

Incarceration, or ROAR.

Launched in June 2019 in collaboration with the Oregon Department of Corrections, ROAR is specifically designed to meet the unique needs of incarcerated women diagnosed with moderate to severe opioid use disorder. The program, funded by the Centers for Disease Control and Prevention, has already recruited more than 20 participants.

Certified recovery mentor Morgan Nelson works with a number of them. Nelson, formerly incarcerated herself, works for ROAR program partner Bridgeway Recovery Services. She credits a five-year stint in the state prison system with saving her life.

"Many incarcerated women have the odds stacked up against them from the beginning of their time in prison: mental health, addiction and minimal support," she says. "The experience of being released from prison can be incredibly overwhelming and emotional. It is a realization that the world continued on without you. That children have grown older, that simple things like banking or shopping can be hard in so many ways."

Nelson believes ROAR can set women up for success and help ease the stressful transition back to their community.

"Now, as a mentor, I get to build relationships with women with similar experiences to mine," she says. "The combination of substance use disorder treatment and a mentor's ability to relate to the challenges of incarceration create a support system that can help to normalize the emotions they are experiencing around release."



Elizabeth Needham Waddell, Ph.D., OHSU-PSU School of Public Health
Credit: OHSU

The ROAR experience

A cross-disciplinary approach, ROAR combines initiation of medication and peer support with an ongoing link to community substance use disorder treatment, prior to release.

In the month before leaving Coffee Creek Correctional Facility, Oregon's only women's prison, program participants connect with certified recovery mentors via "reach-in" visits, which help to prepare participants to enter community-based treatment. The visits also help to educate adults in custody about the importance of carrying a nasal naloxone overdose rescue kit, commonly known as Narcan, upon release.

All participants are released with Narcan rescue kits provided by the project.

Women who elect to participate in the ROAR pilot study receive an injection of extended release naltrexone from a correctional health services provider in the week prior to release. Extended-release naltrexone is an opioid antagonist drug that can block the effects of opioids for up to four weeks, as well as provide overdose protection.

Following incarceration, a certified recovery mentor will help the study participant connect to [substance use disorder](#) treatment and provide support for treatment retention and ongoing recovery efforts.

Participants can work with their health care providers at partnering treatment recovery facilities, CODA and Bridgeway Recovery Services, to continue extended-release naltrexone or explore alternative treatments.

Tracking ROAR impacts

Working with Oregon's Department of Corrections, Department of Human Services and the Oregon Health Authority, Waddell and colleagues will use vital statistics, hospital and Medicaid data interviews to assess the pilot project's impact on overdose rates among participants in four Oregon counties—Clackamas, Marion, Multnomah and Washington—compared with women released in the rest of the state. Insights obtained from the participants will help the research team assess feasibility and acceptability of scaling up the project in future years.

"We'll follow these women to learn about their experiences in the program, conducting interviews with them as well as their mentors and clinicians, for six months after their release," says Waddell, who hopes to involve 100 participants in the program over the next 18 months.

She and the research team hope to see a reduction in overdose rates, and, together with the Department of Corrections, identify concrete, feasible strategies for scaling up the program to reach both men and women incarcerated in Oregon and other states. Results are anticipated 2022.

Provided by Oregon Health & Science University

Citation: Reducing the risk of post-incarceration opioid overdose in women (2019, September 11) retrieved 18 April 2024 from <https://medicalxpress.com/news/2019-09-post-incarceration-opioid-overdose-women.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.