

New study to diagnose children with leukemia

January 21 2020



The UGR research team that conducted the study. Credit: University of Granada

Scientists from the University of Granada have discovered that detecting the expression of the TCL6 gene can help diagnose a subtype of pediatric patients with acute lymphoblastic leukemia (ALL).

Leukemia is the most common of all childhood cancers, accounting for 30 percent of pediatric cancers, with 300 new cases diagnosed in Spain every year. Most pediatric cases (80 percent) belong to this ALL group

of cancers, which were the focus of this study.

The research was carried out on samples of children aged between one and 12 years receiving treatment at two Spanish hospitals: the Hospital Regional de Málaga and the Hospital Sant Joan de Déu, Barcelona.

The research team, coordinated from the University of Granada, included specialist teaching staff and researchers from the departments of Biochemistry I and III of the Faculties of Science and Medicine of the University of Granada; researchers from the Biohealth Research Institute in Granada, and researchers from the two aforementioned hospitals. The study itself was conducted at the Pfizer-University of Granada-Andalusian Government Centre for Genomics and Oncological Research (GENYO).

A biomarker of the disease

"If these data are confirmed, the TCL6 gene could be used as a biomarker of the disease, which could have a [positive impact](#) on the clinical outlook of these patients," observe researchers Marta Cuadros Celorrio and Álvaro Andrades Delgado, authors of the study.

"The presence of this gene could not only be used as a biomarker but to provide a prognosis regarding the likelihood of surviving this disease, since pediatric patients who suffer a loss of TCL6 expression have a lower survival rate," notes UGR lecturer Pedro Pablo Medina Vico, director of the CTS-993 research group and the study's coordinator.

The role of TCL6 in leukemias may have gone unnoticed because it belongs to a group of [genes](#) that are part of our non-coding DNA. Until recently, much of the non-coding DNA was classified as 'junk', as it was believed to have no [biological activity](#), and even today most of its function remains unknown. One of the research strands of the CTS-993

group is the study of these genes, which, while largely unknown at present, constitute the majority of the human genome and are at the edge of current knowledge about the genetics of human pathology.

The study was recently published in the *Blood Cancer Journal*.

More information: Marta Cuadros et al. Expression of the long non-coding RNA TCL6 is associated with clinical outcome in pediatric B-cell acute lymphoblastic leukemia, *Blood Cancer Journal* (2019). [DOI: 10.1038/s41408-019-0258-9](https://doi.org/10.1038/s41408-019-0258-9)

Provided by University of Granada

Citation: New study to diagnose children with leukemia (2020, January 21) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-01-children-leukemia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.